

Tender Specifications

Public contract for upgrading and equipping of 2 ambulances to type B standards

Negotiated Procedure without Prior Publication

Reference number: UGA180371T-10103

Belgian development agency

enabel.be 1

Table of contents

1	Te	chnical Specifications	6
	1.1	Requirements for the goods	6
	1.1.1	Technical requirements and quantities	6
	1.1.1	Place of delivery	19
	1.1.2	Time of delivery	19
	1.2	Requirements for the ancillary services	19
	1.2.1 I	nstallation	19
	1.2.2 7	raining	19
2	Ge	eneral provisions	20
	2.1	Contracting authority	20
	2.2	Institutional framework of Enabel	20
	2.3	Rules governing the public contract	21
	2.4	Definitions	22
	2.5	Confidentiality	24
	2.5.1	Processing of personal data	24
	2.5.2	Confidentiality	24
	2.6	Deontological obligations	24
	2.7	Applicable law and competent courts	25
3	M	odalities of the contract	26
	3.1	Type of contract	26
	3.2	Scope of contract	26
	3.2.1	Subject-matter	26
	3.2.2	Items	26
	3.2.3	Variants	26
	3.3	Duration of the contract	26
4	Sp	ecial contractual provisions	27
	4.1	Managing official (Art. 11)	27
	4.2	Subcontractors (Art. 12 to 15)	27
	4.3	Confidentiality (Art. 18)	28
	4.4	Personal data protection	29
	4.5	Intellectual property (Art. 19 to 23)	29
	4.6	Performance bond (Art. 25 to 33)	30
	4.7	Conformity of performance (Art. 34)	30
	4.8	Changes to the public contract (Art. 37 to 38/19)	30
			2

	4.8.1	Replacement of the contractor (Art. 38/3)	30
	4.8.2	Revision of prices (Art. 38/7)	30
	4.8.3 perforr	Indemnities following the suspensions ordered by the contracting authority during nance (Art. 38/12)	30
	4.8.4	Unforeseeable circumstances	31
	4.9	Preliminary technical acceptance (Art. 42)	31
	4.10	Performance modalities (Art. 115 et seq.)	32
	4.10.1	Deadlines and terms (Art. 116)	32
	4.10.2	Quantities to be supplied (Art. 117)	32
	4.10.3	Place where the supplies must be delivered and formalities (Art. 149)	32
	4.10.4	Packaging (Art. 119)	32
	4.10.5	Inspection of the supplies delivered (Art. 120)	32
	4.10.6	Liability of the supplier (Art. 122)	33
	4.11	Zero tolerance Sexual exploitation and abuse	33
	4.12	Means of action of the contracting authority (Art. 44–51 and 123–126)	33
	4.12.1	Failure of performance (Art. 44)	34
	4.12.2	Fines for delay (Art. 46 and 123)	34
	4.12.3	Measures as of right (Art. 47 and 124)	34
	4.13	End of the public contract	35
	4.13.1	Acceptance of the products delivered (Art. 64-65 and 128)	35
	4.13.2	Transfer of ownership (Art. 132)	35
	4.13.3	Guarantee period (Art. 134)	36
	4.13.4	Final acceptance (Art. 135)	36
	4.14	Invoicing and payment of services (Art. 66 to 72 and 127)	36
	4.15	Litigation (Art. 73)	37
	4.16	Obligations of the contracting authority (Art. 136)	37
	4.17	Obligations of the supplier (Art. 137 and 138)	37
5	Pro	ocurement Procedure	38
	5.1	Type of procedure	38
	5.2	Publication	38
	5.3	Information	38
	5.4	Preparation and submission of tenders	39
	5 4 1	Preparation of tenders	30

	5.4.1.1	Content of tenders	.39
	5.4.1.2	Validity of tenders	.40
	5.4.2	Submission of tenders	.40
	5.4.3	Change or withdrawal of a tender that has already been submitted	.41
	5.5	Opening and evaluation of Tenders	.41
	5.5.1	Opening of tenderers	.41
	5.5.2	Evaluation of Tenders	.41
	5.5.2.1	Selection of tenderers	.41
	5.5.2.2	qualitative and financial evaluation of tenders	.43
	5.6	Award and Conclusion of Contract	.44
	5.6.1 Av	warding the contract	.44
	5.6.2 Cd	oncluding the contract	.44
6	Anr	nexes	.45
	6.1	Technical documents	.45
	6.2 Pro	cedural Documents – Tender Forms	.45
	6.2.1 A	DMINISTRATIVE PROPOSAL	.45
	6.2.2 TE	ECHNICAL PROPOSAL	.58
	6.2.3 FI	NANCIAL PROPOSAL	.59
	Tender	Forms – prices	.59

DEROGATIONS FROM THE GENERAL IMPLEMENTING RULES

Section 4, 'Specific contractual and administrative conditions' of these Tender Specifications (CSC/Cahier Spécial des Charges) holds the specific administrative and contractual provisions that apply to this public contract by way of derogation from the Royal Decree of 14 January 2013 or as a complement or an elaboration thereof.

These tender documents do not derogate from the Royal Decree of 14 January 2013.

1 Technical Specifications

1.1 Requirements for the goods

1.1.1 Technical requirements and quantities

The scope of this tender involves equipping and/or upgrading of 2 ambulances according to the requirements applicable for each of them as detailed here in these technical specifications. The detailed technical specifications including descriptive photos of the items are in the Bills of quantities annexed to these tender specifications.

Technical specifications for ambulance 1 (Brand new ambulance for which equipping and upgrading shall be done.)

The following equipment are already available in stock and shall be only installed by the contractor where necessary, or added for final inspection. The equipment shall be handed over to the contractor by the current custodian (MOH) at the appropriate time.

NO.	ITEM	QUANTITY
1.	Inverter(1000W)	1
2.	Patient Cabin round LED lights	2
3.	Oxygen cylinders (10ltrs)	2
4.	Small Oxygen cylinder(5ltrs)	1
5.	Rear AC independent system	1
6.	Floor meter wall mounts	2
7.	Floor meter outlet	2
8.	Diagnostic light	1
9.	Diagnostic Pen light touch	1
10.	Stretcher bed platform	1
11.	Life hammer	1
12.	Siren system Communication & beacon lights	1
13.	Sockets Switches	3
14.	Radio	1
15.	Cabin Shelf (minor repairs needed) – include glass locks and sliding channels	1

16.	Main Stretcher	1
17.	Scoop Stretcher	1
18.	Spine Board	1
19.	Movable stretcher	1
20.	Cervical collar set	2
21.	Transfer Matrass	1
22.	Potable Resuscitation system	1
23	Potable Suction device	1
24.	Manual BP monitor	1
25.	Automatic BP machine	1
26.	EMT first Aid Bag	
27.	Bandaging & Nursing kit: (Kidney bow 1, pillow cases 4, Bed pan 1, Hospital blankets 2, Fiber pillow 1, Non glass urine bottle 1, waste bin 1, bed sheets 4)	1
28.	Infusion pump	1
29.	Nebulization apparatus	1
30.	Emergency delivery kit	1
30.	Personal protection equipment I. Reflector jacket II. Safety gloves III. Plastic glasses	1 2 pairs 1
31.	Blower	1
32.	Glass locks	6
33.	Sliding channels	12

The following equipment shall be supplied, delivered and installed by the contractor.

1.2.1 Electrical, and O2/pneumatic system upgrade (Fixed block)

NO.			
	<u>Description</u>	Unit	Quantity
1.	Oxygen regulator, (under normal temperature and pressure),		
	adoptable to Cylinder and flowmeter/flow gauge with	NO.	2
	maximum capacity of at least 15 l/min	140.	2
2.	CourtesyLight/spotlightforpatientloadinglighting.AC120-240VACOR12V/24VDC,With 100-110lm/wLumen,Frequency:50hz/60hzDimensionsΦ235*260mmorbetter,With 10°30°60°120° beam Angle.	NO.	1
3.	Grill Ambulance LED Flasher lights Type: LED strobe light Size: 4x3 OE better spec LED QTY: 6PCS Voltage: DC12V Optional beam: Spot/Flood	NO.	2
4.	Toggle switching panel - waterproof 6 gang Type:6 Gang switch panel Rocker Switch: 6 Place on vehicle: Center, Dash, Steering Column Color: Black LED Color: Red/blue/green Dimension:10.8x12.5x3.8cm/4.25"x4.92"x1.49"(Max.L*W*H) Material: Plastic, aluminium Plate Voltage: DC 12V - 24V Fitment Type: Direct Replacement Vehicle Type: Car Boat Marine RV Truck Camper Vehicle	NO.	1

5.	Battery trickle charger		
	(Must be a full system including charge controller, breakers and		
	necessary accessories)		
	BATTERY CHEMISTRY Standard Lead Acid, Calcium content, Gel,		
	AGM or LiFePO4 type only		
	CONTINUOUS RATING 50A		
	POWER TYPE - AC DC -DC TO DC		
	NOMINAL OUTPUT POWER 750W		
	INPUT FUSE RATING 60A (Not supplied) REDARC FK60		
	recommended		
	BLUETOOTH COMPATIBLE No.		
	SOLAR SWITCH ON VOLTAGE 9V SUITABLE FOR 12V SYSTEMS	NO.	2
	Yes SUITABLE FOR 24V SYSTEMS Yes SOLAR INPUT VOLTAGE 9 -		
	32V MPPT SOLAR REGULATOR Yes		
	CABIN/ CANOPY INSTALL Yes NO LOAD CURRENT < 100mA		
	TRAILER INSTALL Yes ENGINE BAY INSTALL YES MAX. CHARGING		
	VOLTAGE 15.3V		
	OUTPUT FUSE RATING 60A (Not supplied) REDARC FK60		
	recommended operating temperature -10°C to 80°C OUTPUT		
	VOLTAGE 12V DC MAX. RATED OUTPUT CURRENT 50A INPUT		
	VOLTAGE 9 - 32V STANDBY CURRENT <8mA CONNECTOR TYPE		
	Bare wire WEIGHT 35.3 oz (1 kg) WIDTH 4.7" (120 mm) HEIGHT		
	1.5" (37 mm) DEPTH LENGTH 6.5" (165 mm)		
6.	1.5 (57 11111) DEI 111 LENGTH 6.5 (165 11111)		
0.	BATTERY N90AH REVERSE AND STRAIGHT	NO.	2
7.	Blue Calm lights for shelves	NO.	2
8.	AC connections as per fixed auxiliary AC unit	NO.	2
9.	Pneumatic Connections as per fixed Oxygen Cylinders	WS	1
J.	Medical/Ambulance Equipment	***	
	a.a.a.,,a.a.a.a.a.a.a.a.a.a.a.		
1.	Rechargeable Pulse Oximeter handheld		
	Battery life: lead acid battery; internal, rechargeable; fully		
	charged in 6		
	hours.		
	Approximately 4-5 hours of continuous use.		
	Display & indications: SpO2: 3-digit LED (light-emitting diodes)		
	display, 10.9mm high.		
	Pulse rate: 3-digit LED display, 10.9mm high.		
	Pulse strength logarithmically scaled, 8 segments remain.		_
	Low-battery LED flashes when approximately 30min of battery	NO.	1
	life		
	remains.		
	Sensors: shall be both adult and paediatric all reusable(
	INCLUDE SPARES)		
	LED flashes to alert the operator to check the sensor		
	placement.		
	SpO2: Range 0-100%		
	Accuracy: ±2% at 70-100%, ±3% at 50-69%		
	MUCUIALY, 14/0 AL /U-1UU70, 1570 AL DU-0370	İ	

	Averaging: 4.8- or 16-pulse beat average. - Pulse rate: Range 30-254bpm - Accuracy: ±2% at 30-254bpm - Averaging: 8 or 16-second average. - Include spare probe sensors for both adults and children Environmental Operating temperature 0 to 40°C. Storage Temperature: - 40 to 75°C. Relative humidity: 10-95%, storage (Non-condensing) 15-95%, operating. Unit presentation: 1 pulse oximeter with accessories: - Apparatus; battery charger; patient cable; sensors child, adult and Y		
	universal; protective case; service and user's manual (English and French)Packaging: Well packaged, protected carton, including user and maintenance manual, and warranty		
2	·		
2.	Stethoscope: Specifications: Stethoscope, binaural, dual chest piece. Cardiology stethoscope with high quality stainless-steel piece for excellent acoustics Stainless steel double inner spring binaural and durable Elegantly moulded PVC tubing, dual head Approximate length; at least 381 mm Supplied with two spare of soft ear piece.	NO.	1

_			
3.	Infrared Thermometer		
	1. Measurement Temperature range60.0°C to 550.0°C (-76°F		
	to 1022°F), 0.1°C resolution		
	2. Accuracy35.0°C to -0.1°C (-31.0°F to 31.9°F): ±10 %RDG.		
	±2°C		
	0.0°C to 100.0°C (-32.0°F to 212.0°F): ±2°C 100.1°C to 500.0°C		
	(212.1°F to 932.0°F): ±2% RDG		
	3. Response time. 1 sec (90%)		
	4. Measurement wavelength. 8 to 14 μm		
	5. Two-beam laser marker Max 1 MW (class 2), Red	NO.	1
	6.Functions. Continuous measurement mode, MAX/ MIN/ DIF		_
	(MAX - MIN) /		
	AVG measurement, Alarm, Backlight, Auto power-off		
	7. Power supply. LR03 (AAA) alkaline battery ×2, 150 MVA,		
	Continuous use of 140 hours		
	(With laser marker, backlight and buzzer are OFF)		
	8. Dimensions and Mass. 48 mm (1.89 in) W × 172 mm (6.77 in)		
	H × 119 mm (4.69 in) D, 256 g (9.0 oz), (including batteries)		
	Accessories. Instruction manual ×1, LR03 alkaline battery ×2,		
	Carrying case ×1		
4.	Automated External Defibrillator AED		
	The AED shall automatically activate upon lid opening.		
	The AED shall be able to deliver shock from 50 joules to 360		
	joules		
	and shall be useful for adults and paediatric age group.		
	The AED shall have motions detection technology for accurate		
	analysis of rhythm.		
	The AED waveform shall deliver variable energy levels		
	customized for a broad range of patient impendences (25		
	Ohms- 175 Ohms) and shall compensate for a patient's		
	impendence level.		
	The AED shall be able to deliver a shock (if required) without		
	requiring the operator to push a button.		
	The weight shall be less than 2 kgs	NO.	1
	• Alteast 3 pairs of Adult and 1 paediatric defibrillation pad shall	1101	_
	be included.		
	 The diagram to assist proper placement of pads shall be 		
	available		
	 Shall have a rechargeable battery and shall have the 		
	ability to inform the user of the status and capacity of the		
	battery via audible alerts, voice and visual prompts, and it shall		
	typically provide a minimum of 14 hours of device operating		
	time.		
	• The AED shall provide at least 90 minutes of internal storage.		
	• Shall be as per IEC 60601-1 and 5 year warranty on defects in		
	materials and workmanship.		
	• All required leads, probes, accessories& manuals to be		
	supplied along with		

• Spare Disposable Pads- 10 no's each • Provision for future up-gradation to enable transmission of Patient Vitals via Telemetry for remote monitoring Medical furniture Conversion, Medical Compartments AND Standard Ambulance Branding (Inclusive of Enabel's preference/Logos) Fabrication Works. (Include Fabrication for Roller racket for Mobile Oxygen Cylinder) 1. MS plate/Aluminium Plate 2 4mm*1250mm*2500mm/6mm*1250mm*6300mm 2. Hollow section 85*50*2.5m, Aluminium Material. NO. 1 3. L Angle MS/Al, IS2062, 30*30*5mm NO. 1 4. 12 Gauge Welding rods and cutting disc WS 1 **Storage Cabinets.** 5. MDF (Medium Density fibre) boards, 12" x 24", 1/4" thick NO 5 6. Sliding Glass works WS 4 7. Edge Leaps WS 20 8. Conta Glue NO 5 9.. Leather Fabric WS 7 10. WS 9 Sponge 11. Timber pcs NO 4 12. Ambulance Standard Branding, as per MOH guidelines on WS 1 the same. 13. Labour FOR ALL WORKS, Including Electricals, fixing, **LUMPSUM**

Technical specifications for ambulance 2 (Ambulance already in use and only upgrading shall be done.)

For ambulance 2, both the contractor and Contracting Authority shall agree on when the ambulance shall be brought to Kampala to be worked on. The contractor shall take all the necessary measures to minimise the down times of this ambulance. For the second ambulance, the scope of work involves both a fixed and conditional tranche. The fixed tranche is as follows:

Medicals, Mechanical works and Conversion.

Electrical, and o2/pneumatic system upgrade			
Item	Description	Unit	Qty
1.	The converter must be able to use normal electrical plugs up to 240V electrical devices in Car. Please note this inverter must be connected to a 12V battery. LCD Multifunction Display: 1. Battery mode 2. Battery voltage: digital display 3. Battery level indicator 4. Voltage display: output voltage of the inverter 5.Output waveform (sine wave) 6. Show watts Low Battery Alarm (nominal): 9.5 - 11.0V Low Battery Shutdown Point (nominal): 9.0 - 10.5V High Battery Shutdown Point (nominal): 14.5 - 15.5V Protection Properties: Soft start function, High temperature protection, High voltage protection Low voltage protection, short circuit protection, AC Overload protection Overcurrent protection, Dimensions 9.3 x 12.4 x 4.7 inches or better. Condition: A brand-new, unused, unopened, undamaged item in its original packaging. Power: 1000W/2000W, Output Waveform: Pure Sine Wave, Output Frequency (Nominal): 60 Hz Or better. Efficiency: > 90% Or better, Operating Temp: -4°F - 158°F System Configuration: Off-Grid, No Load Current Draw: < 1A Power Source: Automobile Battery, Continuous Power: 1000W, Surge Power: 2000W Wire Gauge: 4 AWG. AC Output Voltage Range: 115VAC/240VAC, Operators manual, and applicable certifications.	NO.	1
2.	220V sockets 2 way, 2 gang, to be fixed inside the patient compartment. Standard Grounding Wall Socket Rated Current: 10A IP Rating: IP68 2 Gang Voltage: 240V Color: White Panel Material: High Quality PC Inside Material: High Quality Brass and PC	NO.	2
3.	Patient cabin round LED lights 15w Ultra-thin LED spot light. Material: aluminium	NO.	2

	Working Voltage: 12 V DC Light size: 68 x 68 x 55 mm this can vary due to design Installation Hole: Hole Cut \$\phi 2.25-2.5 \text{inchs}\$ (57-63mm) this can vary due to design LED Chips: 15 pieces or better Color: Warn White 3000K Cable length: 200 cm (78.74 inches) Weight: 10.58 oz (300g) this can vary due to design Wire length: 78.74 inches (2 m)		
4.	Oxygen regulator (Under normal temperature and pressure), adoptable to Cylinder and flowmeter/flow gauge with maximum capacity of at least 15 l/min	NO.	2
5.	Flow meter wall mounts, 200kg/cm2 pressure, Input Pressure: 15Mpa/20Mpa Output pressure: 0.2-0.3Mpa Automatic discharge pressure of the safety valve: 0.35+_0.05Mpa The range of flow: 1-15L/min Connection thread: G5/8/CGA540/W21.8/G3/4 Main body: brass Humidifier bottle: 200mL Unit color: white/green/blue are available Structure: piston type Packing: 10pcs/CTN (color box) Dimension: 52x44x18cm or better MUST DEPEND ON PROVIDED REGULATOR.	NO.	2
6.	Flow meter outlet These are wall sockets/ plugs for adoption of Oxygen Flow meter. Accepts gas specific adapters, approved 100% Pressure testing of each outlet and cleaned for medical gas service Must be Indexed to eliminate interchangeability of gas services Up to 1" (25 mm) wall thickness adjustment 360 degree Swivel Inlet Pipe for easy installation Universal Rough-In Assembly to accept Quick Disconnects or DISS Front Adaptors (can be interchanged at any time) MUST DEPEND ON PROVIDED REGULATOR/FLOW METER.	NO.	2

	-	1	T
7.	Stretcher Bed platform (To allow proper patient and scoop loading), 203x570x120mm Made of high-strength aluminium alloy material. The extension board, must be designed to be rolling-over. It adapts to the ambulance chassis height. The base will be locked automatically when the stretcher is moved into it. The base using new fixing device in the front and back adopts the double layer design. MUST ALLOW SCOOP STRETCHER TO BE DEPOSITED IN THE BOTTOM.	NO.	1
8.	Toggle switching panel - waterproof 6 gang Type:6 Gang switch panel Rocker Switch: 6 Place on vehicle: Center, Dash, Steering Column Color: Black LED Color: Red/blue/green Dimension:10.8x12.5x3.8cm/4.25"x4.92"x1.49"(Max.L*W*H) Material: Plastic, Aluminium Plate Voltage: DC 12V - 24V Fitment Type: Direct Replacement Vehicle Type: Car Boat Marine RV Truck Camper Vehicle	NO.	1
9.	Pneumatic Connections as per fixed Oxygen Cylinders	WS	1
10.	Battery N90AH reverse and straight	NO.	2
	Medical/Ambulance Equipment		
1	Main stretcher/undercarriage A Roll-in Self Foldable Stretcher (Collapsible Cot) of a reputed brand (preferably with capability to convert into wheel chair) shall be provided for the primary patient. The said stretched shall automatically collapse when wheeled into the patient compartment over a fixed 'collapsible cot base'. The 'collapsible cot, base' shall preferably have a built-in slot to accommodate the scoop, stretcher and spine board, AND SHALL BE; 1. Automatic loading stretcher cum trolley. 2. Built with anodized aluminium lightweight / stainless steel. 3. Adjustable back rest 0 dg -90 dg which allows to fix the back rest safety in any position. 4. Side protections completely overturn able with easy locking safety belts flap type. 5. Safety lever for the legs positioned near the unlocking device allowing thus the release operation for the loading, keeping the hands on the stretcher. 6. Vertical legs protected by nylon wedges.	NO.	1

1			
	7. Automatic centring device mounted on rotating wheels. This system automatically blocks the back wheels in the central position during the loading of the stretcher on the ambulance without having turn the wheels manually. 8. Stand for automatic loading stretcher with locking facility for quick fixing system with handle to mount the stand in very position on the stretcher. 9. One number of IV pole of adjustable height shall be provided. 10. Head end of the trolley shall be easily identifiable Length; 190-210 cm; Width: 50-60cm; Height: 80-85cm; wheel/bearing size: 6 to 8Inch Weight 35-45 kg; Loading Capacity: up to 180 kgs		
2	Oxygen Cylinder 10L -SS (under normal temperature and pressure) Stationary oxygen a Minimum 10 1, (under normal temperature and pressure), flowmeter/flow gauge with maximum capacity of at least 15 l/min and regulating valve	NO.	2
Fal	orication Works. (Include Fabrication for Roller racket for Mobile C	Oxygen Cylin	der)
1.	MS plate/ Aluminium Plate 4mm*1250mm*2500mm/6mm*1250mm*6300mm	NO.	2
2.	Hollow section 85*50*2.5m, Aluminium Material.	NO.	2
3.	L Angle MS/AI, IS2062, 30*30*5mm	NO.	2
4.	12 Gauge Welding rods and cutting disc	WS	1
	Storage Cabinets		
1.	MDF (Medium Density Fibre) boards, 12" x 24", 1/4" thick	NO.	4
2.	Sliding Glass works	WS	4
3.	Glass Locks	WS	2
4.	Sliding Channels	WS	4
5.	Edge Leaps	WS	15
6.	Conta Glue	NO.	6
7.	Leather Fabric	WS	6
8.	Sponge	WS	6
9.	Timber pcs	NO.	4
10.	Ambulance Standard Branding, as per MOH guidelines on the same	WS	1
11.	Labour FOR ALL WORKS, Including Electricals, fixing, Medicals, Mechanical works and Conversion.	Lump sum	

Technical specifications for the conditional tranche for ambulance 2

1. Blue Calm lights for shelves NO. 2 2. AC connections as per fixed auxiliary AC unit NO. 1 Seat belt cutter/Life hammer Emergency tool/screen 3. breaker, 173x66mm with double ended break hammer. Seat belt cutter, and plastic or metallic handle. Holding Bracket with192x75mm. Grill Ambulance LED Flasher lights. Type: LED strobe light Size: 4x3 or better spec LED QTY: 6PCS Voltage: DC12V Optional beam: Spot/Flood Battery trickle charger (must be a full system including charge controller, breakers and necessary accessories) Battery trickle charger (must be a full system including charge controller, breakers and necessary accessories) Battery trickle ponly Continuous rating 50A Power type - AC DC TO DC Nominal output power 750W Input fuse rating 60A (not supplied) redarc FK60 recommended Bluetooth compatible No Solar switch on voltage 9V suitable for 12V systems yes suitable for 24V systems yes suitable for 24V systems yes solar input voltage 9 - 32V MPPT solar regulator yes Cabin/ canopy install yes, no load current <100MA trailer install yes Engine bay install yes max. charging voltage 15.3V Output fuse rating 60A (not supplied) redarc FK60 recommended operating Temperature -10°C to 80°C output voltage 9 - 32V standby Current <8mA connector Type bare wire weight 35.3 oz (1 kg) width 4.7" (120 mm) height 1.5" (37 mm) Depth length 6.5" (165 mm)	Conditional items for electrical					
Seat belt cutter/Life hammer Emergency tool/screen breaker, 173x66mm with double ended break hammer. Seat belt cutter, and plastic or metallic handle. Holding Bracket with192x75mm. Grill Ambulance LED Flasher lights. Type: LED strobe light Size: 4x3 or better spec LED QTY: 6PCS Voltage: DC12V Optional beam: Spot/Flood Battery trickle charger (must be a full system including charge controller, breakers and necessary accessories) Battery chemistry standard lead acid, calcium content, GEL, AGM or LiFePO4 type only Continuous rating 50A Power type - AC DC TO DC Nominal output power 750W Input fuse rating 60A (not supplied) redarc FK60 recommended Bluetooth compatible No Solar switch on voltage 9V suitable for 12V systems yes suitable for 24V systems yes solar input voltage 9 - 32V MPPT solar regulator yes Cabin/ canopy install yes, no load current <100MA trailer install yes Engine bay install yes max. charging voltage 15.3V Output fuse rating 60A (not supplied) redarc FK60 recommended operating Temperature -10°C to 80°C output voltage 9 - 32V standby Current <8mA connector Type bare wire weight 35.3 oz (1 kg) width 4.7" (120 mm) height 1.5" (37 mm) Depth length 6.5" (165 mm)	1.	Blue Calm lights for shelves	NO.	2		
Emergency tool/screen breaker, 173x66mm with double ended break hammer. Seat belt cutter, and plastic or metallic handle. Holding Bracket with192x75mm. Grill Ambulance LED Flasher lights. Type: LED strobe light Size: 4x3 or better spec LED QTY: 6PCS Voltage: DC12V Optional beam: Spot/Flood Battery trickle charger (must be a full system including charge controller, breakers and necessary accessories) Battery chemistry standard lead acid, calcium content, GEL, AGM or LifePO4 type only Continuous rating 50A Power type - AC DC TO DC Nominal output power 750W Input fuse rating 60A (not supplied) redarc FK60 recommended Bluetooth compatible No Solar switch on voltage 9V suitable for 12V systems yes suitable for 24V systems yes solar input voltage 9 - 32V MPPT solar regulator yes Cabin/ canopy install yes, no load current <100MA trailer install yes Engine bay install yes max. charging voltage 15.3V Output fuse rating 60A (not supplied) redarc FK60 recommended operating Temperature -10°C to 80°C output voltage 9 - 32V standby Current <8mA connector Type bare wire weight 35.3 oz (1 kg) width 4.7" (120 mm) height 1.5" (37 mm) Depth length 6.5" (165 mm)	2.	AC connections as per fixed auxiliary AC unit	NO.	1		
Type: LED strobe light Size: 4x3 or better spec LED QTY: 6PCS Voltage: DC12V Optional beam: Spot/Flood Battery trickle charger (must be a full system including charge controller, breakers and necessary accessories) Battery chemistry standard lead acid, calcium content, GEL, AGM or LiFePO4 type only Continuous rating 50A Power type - AC DC TO DC Nominal output power 750W Input fuse rating 60A (not supplied) redarc FK60 recommended Bluetooth compatible No Solar switch on voltage 9V suitable for 12V systems yes suitable for 24V systems yes solar input voltage 9 - 32V MPPT solar regulator yes Cabin/ canopy install yes, no load current <100MA trailer install yes Engine bay install yes max. charging voltage 15.3V Output fuse rating 60A (not supplied) redarc FK60 recommended operating Temperature -10°C to 80°C output voltage 12V DC max. rated output current 50A input voltage 9 - 32V standby Current <8mA connector Type bare wire weight 35.3 oz (1 kg) width 4.7" (120 mm) height 1.5" (37 mm) Depth length 6.5" (165 mm)	3.	Emergency tool/screen breaker, 173x66mm with double ended break hammer. Seat belt cutter, and plastic or metallic handle.	NO.	1		
charge controller, breakers and necessary accessories) Battery chemistry standard lead acid, calcium content, GEL, AGM or LiFePO4 type only Continuous rating 50A Power type - AC DC TO DC Nominal output power 750W Input fuse rating 60A (not supplied) redarc FK60 recommended Bluetooth compatible No Solar switch on voltage 9V suitable for 12V systems yes suitable for 24V systems yes solar input voltage 9 - 32V MPPT solar regulator yes Cabin/ canopy install yes, no load current <100MA trailer install yes Engine bay install yes max. charging voltage 15.3V Output fuse rating 60A (not supplied) redarc FK60 recommended operating Temperature -10°C to 80°C output voltage 12V DC max. rated output current 50A input voltage 9 - 32V standby Current <8mA connector Type bare wire weight 35.3 oz (1 kg) width 4.7" (120 mm) height 1.5" (37 mm) Depth length 6.5" (165 mm)	4.	Type: LED strobe light Size: 4x3 or better spec LED QTY: 6PCS Voltage: DC12V	NO.	2		
Conditional items for medical equipment	5.	charge controller, breakers and necessary accessories) Battery chemistry standard lead acid, calcium content, GEL, AGM or LiFePO4 type only Continuous rating 50A Power type - AC DC TO DC Nominal output power 750W Input fuse rating 60A (not supplied) redarc FK60 recommended Bluetooth compatible No Solar switch on voltage 9V suitable for 12V systems yes suitable for 24V systems yes solar input voltage 9 - 32V MPPT solar regulator yes Cabin/ canopy install yes, no load current <100MA trailer install yes Engine bay install yes max. charging voltage 15.3V Output fuse rating 60A (not supplied) redarc FK60 recommended operating Temperature -10°C to 80°C output voltage 12V DC max. rated output current 50A input voltage 9 - 32V standby Current <8mA connector Type bare wire weight 35.3 oz (1 kg) width 4.7" (120 mm) height 1.5" (37 mm)	NO.	1		
and the state of t						

3	Scoop stretcher Shall be light, safe and reliable • Aluminium alloy with adjustable length • Clutch Design (lateralized / in center) so that the stretcher can be divided into left and right halves. • Easy to lock and unlock • 3 Quick release buckle belts • Dimensions: o Max. Size' I·W*H}: 22S*45*6cm o Min. Size L*W*H: 168*43*7cm	NO.	1
4	Spine Board 1. Shall be in plastic material of high strength and waterproof. Handhold with 2 inches and handhold length 5.25 inches 2. It shall be supplied with a complete set of head blocks and spider straps, and Trauma Bag 3. Shall have radio transparency to make radiologic examinations like MRI, CT scan and x-rays without removing the patient from the board. Length: 180 - 190cm; Breadth: 40 - 48cm; Height: 5 to 7cm Weight: <8 kg; load: up to 120kgs. ISO 9001; FDA/CE standards safety	NO.	1
5	Cervical upper spinal immobilization devices Cervical collar-set. 1. Shall be adjustable to 4 different sizes. 2. Shall be pre-moulded chin support, locking dips and rear ventilation panel, enlarged trachea opening 3. Shall be high-density polyethylene and foam padding, with one piece design enables efficient storage where space is limited. 4. Shall be X-ray lucent and easy to clean and disinfect. 5. consider all age group sizes, i.e., for 1 adult and 1 Children. Comply with ISO 9001 standard.	NO.	2

Ambulance 1 has one fixed block while ambulance 2 has one fixed block and 2 conditional blocks. Contract conclusion pertains to the whole of the contract but only binds the contracting authority for only the fixed blocks. The performance of each conditional block depends on a decision by the contracting authority notified to the contractor at the time of contract award. This is motivated by and contingent upon the need for budget availability. The tenderer must, under penalty of substantial irregularity, submit an offer for all blocks of the procurement. In order to assess the tenders and determine the most advantageous tender, the contracting authority will take into account all the blocks.

The tenderer must use in his offer for each of the conditional blocks for similar supplies the same unit prices as those used for in the fixed block.

1.1.1 Place of delivery

Delivery shall take place at Ministry of Health Headquarters located at Plot 6 Lourdel Road Nakasero, Kampala.

1.1.2 Time of delivery

The supplies shall be delivered and installed within 90 calendar days following the date of award notification.

1.2 Requirements for the ancillary services

1.2.1 Installation

The contractor shall pick up and take the vehicle to their premises to execute the works which include some fabrication, electrical works and installation of the equipment. Project and Ministry of Health specialists shall follow up the works and assess compliance from the contractor's premises before the vehicle is moved out to be returned for handover. The vehicle shall be re-assessed at the place of delivery before provisional acceptance.

1.2.2 Training

At the time of handover, the contractor shall carryout very basic user training and testing that shall come with the installation of the equipment. The contractor shall provide user manuals for all equipment.

2 General provisions

2.1 Contracting authority

The contracting authority of this public contract is Enabel, the Belgian development agency, public-law company with social purposes, with its registered office at Rue Haute 147, 1000 Brussels in Belgium (enterprise number 0264.814.354, RPM/RPR Brussels). Enabel has the exclusive competence for the execution, in Belgium and abroad, of public service tasks of direct bilateral cooperation with partner countries. Moreover, it may also perform other development cooperation tasks at the request of public interest organisations, and it can develop its own activities to contribute towards realisation of its objectives.

For this procurement contract, Enabel is represented by person(s) who shall sign the award letter and are mandated to represent the organisation towards third parties.

2.2 Institutional framework of Enabel

- The general framework of reference in which Enabel operates is:
- The Belgian Law on Development Cooperation of 19 March 20131;
- The Belgian Law of 21 December 1998 establishing the Belgian Technical Cooperation as a public-law company2;
- The Belgian Law of 23 November 2017 changing the name of the Belgian Technical Cooperation and defining the missions and functioning of Enabel, the Belgian development agency, published in the Belgian Official Gazette on 11 December 2017.

The following initiatives are also guiding Enabel in its operations and are given as main examples:

- In the field of international cooperation: the United Nations Sustainable Development Goals and the Paris Declaration on the harmonisation and alignment of aid;
- In the field of the fight against corruption: the Law of 8 May 2007 approving the
 United Nations Convention against Corruption, adopted in New York on 31 October
 20033, as well as the Law of 10 February 1999 on the Suppression of
 Corruption transposing the Convention on Combating Bribery of Foreign Public
 Officials in International Business Transactions;

 $_{1}$ Belgian Official Gazette of 30 December 1998, of 17 November 2001, of 6 July 2012, of 15 January 2013 and of 26 March 2013.

² Belgian Official Gazette of 1 July 1999.

³ Belgian Official Gazette of 18 November 2008

- In the field of Human Rights: the United Nations' Universal Declaration of Human Rights (1948) as well as the 8 basic conventions of the International Labour Organization4 on Freedom of Association (C. n°87), on the Right to Organise and Collective Bargaining (C. n°98), on Forced Labour (C. n°29 and 105), on Equal Remuneration and on Discrimination in Respect of Employment (C. n°100 and 111), on Minimum Age for Admission to Employment (C. n°138), on the Prohibition of the Worst Forms of Child Labour (C. n°182);
- In the field of environmental protection: The Climate Change Framework Convention of Paris, of 12 December 2015;
- The first Management Contract contracting Enabel and the Belgian federal State (approved by the Royal Decree of 17 December 2017, Belgian Official Gazette of 22 December 2017) that sets out the rules and the special conditions for the execution of public service tasks by Enabel on behalf of the Belgian State.
- Considering Enabel's Code of Conduct of January 2019, Enabel's Policy regarding sexual exploitation and abuse of June 2019 and Enabel's Policy regarding fraud and corruption risk management of June 2019;

2.3 Rules governing the public contract

- The following, among other things, apply to this public contract:
- The Law of 17 June 2016 on public procurements;
- The Law of 17 June 2013 on justifications, notification and legal remedies for public contracts and certain contracts for works, supplies and services6;
- The Royal Decree of 18 April 2017 on the awarding of public contracts in the classic sectors7;
- The Royal Decree of 14 January 2013 establishing the General Implementing Rules for public procurement and for concessions for public works8;
- Circulars of the Prime Minister with regards to public procurement.

⁴ https://www.ilo.org/global/standards/lang--en/index.htm

⁵ Belgian Official Gazette 14 July 2016.

⁶ Belgian Official Gazette of 21 June 2013.

⁷ Belgian Official Gazette 9 May 2017.

⁸ Belgian Official Gazette 27 June 2017.

- All Belgian regulations on public contracts can be consulted on www.publicprocurement.be.
- Enabel's Policy regarding sexual exploitation and abuse June 2019
- Enabel's Policy regarding fraud and corruption risk management June 2019
- Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data (General Data Protection Regulation, hereinafter referred to as 'the GDPR'), and repealing Directive 95/46/EC;
- The Law of 30 July 2018 on the protection of natural persons with regard to the processing of personal data;

All Belgian regulations on public contracts can be consulted on www.publicprocurement.be

Enabel's Code of Conduct and the policies mentioned above can be consulted on Enabel's website via: https://www.enabel.be/content/integrity-desk.

2.4 Definitions

The following definitions apply to this contract:

The tenderer: An economic operator submitting a tender;

<u>The contractor/ service provider</u>: The tenderer to whom the public contract is awarded;

<u>The contracting authority:</u> Enabel, represented by the Resident Representative of Enabel in Uganda.

<u>The tender:</u> The commitment of the tenderer to perform the public contract under the conditions that he has submitted;

<u>Days</u>: In the absence of any indication in this regard in the Tender Specifications and the applicable regulations, all days should be interpreted as calendar days;

<u>Procurement documents</u>: Contract notice and Tender Specifications including the annexes and the documents they refer to;

<u>Technical specifications</u>: A specification in a document defining the characteristics of a product or a service, such as the quality levels, the environmental and climate performance levels, the design for all needs, including accessibility for people with disabilities, and the evaluation of conformity, of product performance, of the use of the product, safety or dimensions, as well as requirements applicable to the product as regards the name by which it is sold, terminology, symbols, testing and test methods, packaging, marking or labelling,

instructions for use, the production processes and methods at every stage in the life cycle of the supply or service, as well as the evaluation and conformity procedures;

<u>Variant</u>: An alternative method for the design or the performance that is introduced either at the demand of the contracting authority, or at the initiative of the tenderer;

<u>Option</u>: A minor and not strictly necessary element for the performance of the contract, which is introduced either at the demand of the contracting authority, or at the initiative of the tenderer;

<u>Inventory</u>: The procurement document which splits up the performance in different items and specifies the quantity or the method to determine the price for each of them;

<u>General Implementing Rules (GIR)</u>: Rules laid down in the Royal Decree of 14 January 2013 establishing the General Implementing Rules for public procurement and for concessions for public works;

<u>The Tender Specifications</u> (Cahier spécial des charges/CSC): This document and its annexes and the documents it refers to;

BDA: Belgian Public Tender bulletin;

OJEU: Official Journal of the European Union;

OECD: Organisation for Economic Cooperation and Development;

<u>Corrupt practices</u>: The offer of a bribe, gift, gratuity or commission to a person as an inducement or reward for performing or refraining from an act relating to the award of a contract or performance of a contract already concluded with the contracting authority;

Litigation: Court action;

<u>Subcontractor in the meaning of public procurement regulations</u>: The economic operator proposed by a tenderer or contractor to perform part of the contract;

<u>Controller in the meaning of the GDPR:</u> The natural or legal person, public authority, agency or other body which, alone or jointly with others, determines the purposes and means of the processing of personal data.

<u>Processor</u> (subcontractor) in the meaning of the GDPR: A natural or legal person, public authority, agency or other body which processes personal data on behalf of the controller;

<u>Recipient in the meaning of the GDPR</u>: A natural or legal person, public authority, agency or another body, to which the personal data are disclosed, whether a third party or not;

<u>Personal data</u>: Any information relating to an identified or identifiable natural person ('data subject'); an identifiable natural person is one who can be identified, directly or indirectly, in particular by reference to an identifier such as a name, an identification number, location data, an online identifier or to one or more factors specific to the physical, physiological, genetic, mental, economic, cultural or social identity of that natural person.

2.5 Confidentiality

2.5.1 Processing of personal data

The contracting authority undertakes to process the personal data that are communicated to it under the framework of this procedure with the greatest care, in accordance with legislation on the protection of personal data (General Data Protection Regulation, GDPR). Where the Belgian law of 30 July 2018 on the protection of natural persons with regard to the processing of personal data contains stricter provisions, the contracting authority will act in accordance with said law.

2.5.2 Confidentiality

The tenderer or contractor and Enabel are bound to secrecy vis-à-vis third parties with regards to any confidential information obtained within the framework of this public contract and will only divulge such information to third parties after receiving the prior written consent of the other party. They will disclose this confidential information only among appointed parties involved in the assignment. They guarantee that said appointed parties will be adequately informed of their obligations in respect of the confidential nature of the information and that they shall comply therewith.

PRIVACY NOTICE OF ENABEL. Enabel takes your privacy serious. We undertake to protect and process your personal data with due care, transparently and in strict compliance with privacy protection legislation.

See also: https://www.enabel.be/content/privacy-notice-enabel

2.6 Deontological obligations

Any failure to comply with one or more of the deontological clauses may lead to the exclusion of the candidate, tenderer or contractor from other public contracts for Enabel.

For the duration of the contract, the contractor and his staff respect human rights and undertake not to go against political, cultural or religious customs of the beneficiary country. The tenderer or contractor is bound to respect fundamental labour standards, which are internationally agreed upon by the International Labour Organization (ILO), namely the conventions on union freedom and collective bargaining, on the elimination of forced and obligatory labour, on the elimination of employment and professional discrimination and on the abolition of child labour.

In accordance with Enabel's Policy regarding sexual exploitation and abuse, the contractor and his staff have the duty to behave in an irreproachable manner towards the beneficiaries of the projects and towards the local population in general. They must abstain from any acts that could be considered a form of sexual exploitation or abuse and they must abide by the basic principles and guidelines laid down in this policy.

Any attempt of a candidate or a tenderer to obtain confidential information, to proceed to illicit arrangements with competitors or to influence the evaluation committee or the contracting

authority during the investigation, clarification, evaluation and comparison of tenders and candidates procedure will lead to the rejection of the application or the tender.

Moreover, in order to avoid any impression of risk of partiality or connivance in the follow-up and control of the performance of the public contract, it is strictly forbidden to the contractor to offer, directly or indirectly, gifts, meals or any other material or immaterial advantage, of whatever value, to appointees of the contracting authority who are concerned, directly or indirectly, by the follow-up and/or control of the performance of the contract, regardless of their hierarchical rank.

The public contractor commits to supply, upon the demand of the contracting authority, any supporting documents related to the performance conditions of the contract. The contracting authority will be allowed to proceed to any desk review or on-the-spot check which it considers necessary to collect evidence to support the presumption of unusual commercial expenditure. Depending on the gravity of the facts observed, the contractor having paid unusual commercial expenditure is liable to have his contract cancelled or to be permanently excluded from receiving funds.

In accordance with Enabel's Policy regarding sexual exploitation and abuse of June 2019 and Enabel's Policy regarding fraud and corruption risk management complaints relating to issues of integrity (fraud, corruption, etc.) must be sent to the Integrity desk through the website www.enabelintegrity.be

2.7 Applicable law and competent courts

The contract must be performed and interpreted according to Belgian law.

The parties commit to sincerely perform their engagements to ensure the good performance of the public contract.

In case of litigation or divergence of opinion between the contracting authority and the contractor, the parties will consult each other to find a solution.

If agreement is lacking, the Brussels courts are the only courts competent to resolve the matter.

3 Modalities of the contract

3.1 Type of contract

It is a direct contract for the supply of goods by means of purchase.

3.2 Scope of contract

3.2.1 Subject-matter

These public supplies contract consists of upgrading and/or equipping of 2 ambulances to type B standards, in conjunction with the provision of the ancillary services of installation/training., in conformity with the conditions of these Tender Specifications.

3.2.2 Items

The contract consists of items detailed in the technical specifications and Bills of Quantities:

These items are pooled and form one single contract. It is not possible to tender for one or several items and the tenderer must submit price quotations for all items of the contract.

Ambulance 1 has one fixed block while ambulance 2 has a fixed block and 2 conditional blocks. Contract conclusion pertains to the whole of the contract but only binds the contracting authority for the fixed block. The performance of the 2 conditional blocks depends on a decision by the contracting authority notified to the contractor at the time of contract award. This is motivated by and contingent upon the need for budget availability. The tenderer must, under penalty of substantial irregularity, submit an offer for all blocks of the procurement. In order to assess the tenders and determine the most advantageous tender, the contracting authority will take account of all the blocks.

The tenderer must use in his offer for each of the conditional phases for similar supplies the same unit prices as used for those supplies in the fixed phase.

3.2.3 Variants

Each tenderer may submit only one tender. Variants are forbidden.

3.3 Duration of the contract

The contract starts upon award notification and lasts 90 calendar days.

4 Special contractual provisions

- This chapter of these Tender Specifications holds the specific provisions that apply to this public contract by way of derogation from the 'General Implementing Rules for public procurement and for concessions for public works' of the Royal Decree of 14 January 2013, hereinafter referred to as 'GIR', or as a complement or an elaboration thereof. The numbering of the articles below (between brackets) follows the numbering of the GIR articles. Unless indicated, the relevant provisions of the General Implementing Rules (GIR) apply in full.
- These tender documents do not derogate from the General Implementing Rules.

4.1 Managing official (Art. 11)

The managing official is Dr. IMI Monica, e-mail: monica.imi@enabel.be and assisted by Nakisozi Barungi Lillian, lillian.nakisozi@enabel.be

Once the public contract is concluded the managing official is the main contact point for the supplier. Any correspondence or any questions with regards to the performance of the contract will be addressed to him or her, unless explicitly mentioned otherwise in these Tender Specifications.

The managing official is responsible for the follow-up of the performance of the contract.

- The managing official is fully competent for the follow-up of the satisfactory
 performance of the contract, including issuing service orders, drawing up reports and
 states of affairs, approving the services, progress reports and reviews. He or she may
 order any modifications to the contract with regards to its subject-matter provided that
 they remain within its scope.
- However, the signing of amendments or any other decision or agreement implying derogation from the essential terms and conditions of the contract are not part of the competence of the managing official. For such decisions the contracting authority is represented as stipulated under the point Contracting authority.
- Under no circumstances is the managing official allowed to modify modalities (e.g. delivery deadlines) of the contract, even if the financial impact is nil or negative. Any commitment, change or agreement derogating the conditions in the Tender Specifications and that has not been notified by the contracting authority, will be considered null and void.

4.2 Subcontractors (Art. 12 to 15)

The fact that the contractor entrusts all or part of his commitments to subcontractors does not relieve him of liability to the contracting authority. The latter does not recognise any contractual relation with third parties.

The contractor remains, in any case, solely liable to the contracting authority. The contractor may not subcontract the contract or a part of the contract to other subcontractors than those presented at the time of submission; subcontracting to subcontractors presented in the tender is allowed only after preliminary approval by the contracting authority of these subcontractors.

When the contractor uses a subcontractor to carry out specific processing activities on behalf of the contracting authority, the same data protection obligations as those of the contractor are imposed on that subcontractor by contract or any other legal act.

In the same way, the contractor will respect and enforce to his subcontractors, the provisions of Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data (General Data Protection Regulation, GDPR). The contracting authority may conduct an audit of the processing carried out in order to validate compliance with this legislation.

4.3 Confidentiality (Art. 18)

Knowledge and information obtained by the contractor, including any persons responsible for the mission and any other person involved in this public contact, are strictly confidential.

Under no circumstances can the information collected, regardless of its origin and nature, be transferred to third parties in any form.

All parties directly or indirectly involved are therefore bound by the duty of discretion.

In accordance with Article 18 of the Royal Decree of 14 January 2013 establishing the general rules for public procurement, the tenderer or contractor undertakes to consider and process in a strictly confidential manner any information, all facts, any documents and/or any data, whatever their nature and support, which have been communicated to him, in any form and by any means, or to which he has access, directly or indirectly, in the context or on the occasion of this public contract. Confidential information covers, in particular, the very existence of this public contract, without this list being limited.

Therefore, he undertakes to:

- •Respect and enforce the strict confidentiality of these elements and to take all necessary precautions in order to preserve their secrecy (these precautions cannot in any case be inferior to those taken by the tenderer for the protection of his own confidential information);
- Consult, use and/or exploit, directly or indirectly, all of the above elements only to the extent strictly necessary to prepare and, where applicable, to carry out this public contract (particularly regarding the privacy legislation with respect to personal data processing);
- Not reproduce, distribute, disclose, transmit or otherwise make available to third parties the above elements, in whole or in part, and in any form, unless having obtained prior and written consent of the contracting authority;

- Return, at the first request of the contracting authority, the above elements;
- In general, not disclose directly or indirectly to third parties, whether for advertising or any other reason, the content of this public contract, or the fact that the tenderer or contractor performs this public contract for the contracting authority, or, where applicable, the results obtained in this context, unless having obtained prior and written consent of the contracting authority.

4.4 Personal data protection

4.4.1 Processing of personal data by the contracting authority

The contracting authority undertakes to process the personal data that are communicated to it in response to the Call for Tenders with the greatest care, in accordance with legislation on the protection of personal data (General Data Protection Regulation, GDPR). Where the Belgian law of 30 July 2018 on the protection of natural persons with regard to the processing of personal data contains stricter provisions, the contracting authority will act in accordance with said law.

4.4.2 Processing of personal data by the contractor

PROCESSING OF PERSONAL DATA BY A CONTROLLER (RECIPIENT)

Where during contract performance, the contractor processes personal data of the contracting authority or in execution of a legal obligation, the following provisions apply:

For any processing of personal data carried out in connection with this public contract, the contractor is required to comply with Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data (GDPR) and the Belgian law of 30 July 2018 on the protection of natural persons with regard to the processing of personal data.

By simply participating in the contracting process, the tenderer certifies that he will strictly comply with the obligations of the GDPR for any processing of personal data conducted in connection with that public contract.

Given the public contract, it is to be considered that the contracting authority and the contractor will each be responsible, individually, for the processing.

4.5 Intellectual property (Art. 19 to 23)

The contracting authority does not acquire the intellectual property rights created, developed or used during performance of the public contract.

Without prejudice to clause 1 and unless otherwise stipulated in the procurement documents, when the Subject-matter of the public contract consists of the creation, manufacture or the development of designs or of logos, the contracting authority acquires the intellectual property

thereof, as well as the right to trademark them, to have them registered and to have them protected.

For domain names created under the contract, the contracting authority also acquires the right to register and protect them, unless otherwise stipulated in the procurement documents.

Where the contracting authority does not acquire the intellectual property rights, it obtains a patent licence of the results protected by intellectual property law for the exploitation modes that are mentioned in the procurement documents.

The contracting authority lists the exploitation modes for which it intends to obtain a licence in the procurement documents.

4.6 Performance bond (Art. 25 to 33)

For this contract no performance bond is required.

4.7 Conformity of performance (Art. 34)

The supplies must comply in all respects with the procurement documents. Even in the absence of technical specifications in the procurement documents, the supplies must comply in all aspects with good practice.

4.8 Changes to the public contract (Art. 37 to 38/19)

4.8.1 Replacement of the contractor (Art. 38/3)

Provided that he meets the selection and exclusion criteria set out in this document, a new contractor may replace the contractor with whom the initial contract was agreed in cases other than those provided for in Art. 38/3 of the General Implementing Rules (GIR).

The contractor submits his request as quickly as possible by registered post, stating the reasons for this replacement and providing a detailed inventory of the state of the supplies and services already delivered, the new contractor's contact details and the documents and certificates which the contracting authority cannot access free of charge.

The replacement will be recorded in an amendment dated and signed by all three parties. The initial contractor remains liable to the contracting authority for the performance of the remainder of the contract.

4.8.2 Revision of prices (Art. 38/7)

• For this contract, price revisions are not permitted.

4.8.3 Indemnities following the suspensions ordered by the contracting authority during

performance (Art. 38/12)

- The contracting authority reserves the right to suspend the performance of the contract for a given period, mainly when it considers that the contract cannot be performed without inconvenience at that time.
- The performance period is extended by the period of delay caused by this suspension, provided that the contractual performance period has not expired. If it has expired, the return of fines for late performance will be agreed.
- When activities are suspended, based on this clause, the contractor is required to take
 all necessary precautions, at his expense, to protect the services already performed and
 the materials from potential damage caused by unfavourable weather conditions, theft
 or other malicious acts.

The contractor has a right to damages for suspensions ordered by the contracting authority when:

- The suspension lasts in total longer than one twentieth of the performance period and at least ten working days or two calendar weeks, depending on whether the performance period is expressed in working days or calendar days;
- The suspension is not owing to unfavourable weather conditions;
- The suspension occurred during the contract performance period.
- Within thirty days of their occurrence or the date on which the contractor or the contracting authority would normally have become aware of them, the contractor reports the facts or circumstances succinctly to the contracting authority and describes precisely their impact on the progress and cost of the contract.

4.8.4 Unforeseeable circumstances

As a rule, the contractor is not entitled to any modification of the contractual terms due to circumstances of which the contracting authority was unaware.

A decision of the Belgian State to suspend cooperation with a partner country is deemed to be unforeseeable circumstances within the meaning of this article. Should the Belgian State break off or cease activities which implies therefore the financing of this public contract, Enabel will do everything reasonable to agree a maximum compensation figure.

4.9 Preliminary technical acceptance (Art. 42)

Products may not be used if they have not been accepted by the managing official or his or her representative.

Products that at a given stage do not satisfy the technical acceptance tests imposed will be declared unfit for technical acceptance. Upon the request of the contractor, the contracting authority in accordance with the procurement documents verifies whether the products have

the required qualities or at the very least comply with good practice and satisfy the conditions of the contract. If certain products are destroyed during verification, the contractor replaces these at its own expense. The procurement documents specify the quantity of products to be destroyed.

Where the contracting authority declares that the product presented is not in the required condition for examination, the acceptance request by the building contractor will be considered not having been made. A new request is made when the product is fit for acceptance.

4.10 Performance modalities (Art. 115 et seq.)

4.10.1 Deadlines and terms (Art. 116)

The supplies must be delivered within 90 calendar days as from the day following the date on which the supplier received the contract conclusion notification letter. The closure of the supplier's business for annual holidays is not included in this calculation.

4.10.2 Quantities to be supplied (Art. 117)

The public contract's minimum quantities are mentioned under section 1.1.1 "Technical requirements and quantities" and in the Bills of Quantities annexed to these tender specifications document.

Without prejudice to the possibility for the contracting authority to terminate the contract if the supplies delivered do not meet the requirements imposed or if they are not delivered by the deadlines asked, by concluding this contract the supplier acquires the right to deliver these quantities, under penalty of indemnification by the contracting authority.

4.10.3 Place where the supplies must be delivered and formalities (Art. 149)

The supplies shall be delivered at the addresses mentioned in section 1.1.2 "Place of delivery."

4.10.4 Packaging (Art. 119)

Packaging will become the property of the contracting authority, without the supplier having any claim to compensation in this regard.

4.10.5 Inspection of the supplies delivered (Art. 120)

The supplier delivers only goods that have no apparent and/or hidden defects and that correspond strictly to the order (in kind, quantity, quality...) and, if necessary, to the prescriptions of related documents as well as applicable regulations, in compliance with good practice, the state of the art, the highest standards of usage, of reliability and of longevity, and for the purposes that the contracting authority has in mind, which the supplier knows or at least should know.

Acceptance (provisional acceptance) only takes place after the complete inspection by the contracting authority of the conformity of the goods and services delivered. The contracting

authority disposes of a period for verification of thirty days starting on the date of delivery. This period will begin on the day after arrival of the supplies at the place of delivery, provided that the contracting authority is in possession of the delivery note or invoice.

The signature of (a staff member of) the contracting authority, in particular in electronic reception devices, upon delivery of the goods, does consequently only count as evidence of taking possession and does not concern the acceptance of the goods.

Acceptance implies the transfer of ownership and of risks of damage and loss.

In case of full or partial refusal of a delivery, the supplier is bound to take back, at his own costs and risks, the products refused. The contracting authority may ask the supplier to deliver goods that comply as soon as possible, either cancel the order and get supplied by another supplier.

4.10.6 Liability of the supplier (Art. 122)

The supplier shall be liable for his supplies up to the time when the inspection and notification formalities referred to in Article 120 are carried out, unless losses or damage sustained in the warehouses of the consignee are due to the events or circumstances referred to in Articles 54 and 56.

Moreover, the supplier indemnifies the contracting authority against damages for which it is liable towards third parties due to late performance of the contract or due to failure of the supplier.

4.11 Zero tolerance Sexual exploitation and abuse

In application of Enabel's Policy regarding sexual exploitation and abuse of June 2019 there will be zero tolerance towards any misconduct that could impact the professional credibility of the tenderer.

4.12 Means of action of the contracting authority (Art. 44–51 and 123–126)

The service provider's default is not solely related to services as such but also to the whole of the service provider's obligations.

In order to avoid any impression of risk of partiality or connivance in the follow-up and control of the performance of the public contract, it is strictly forbidden to the contractor to offer, directly or indirectly, gifts, meals or any other material or immaterial advantage, of whatever value, to appointees of the contracting authority who are concerned, directly or indirectly, by the follow-up and/or control of the performance of the contract, regardless of their hierarchical rank.

In case of violation, the contracting authority may impose a lump-sum fine to the service provider for each violation, which can be to up to three times the amount obtained by adding up the (estimated) values of the advantage offered to the employee and of the advantage that

the contractor hoped to obtain by offering the advantage to the employee. The contracting authority will decide independently about the application and the amount of this fine.

This clause is without prejudice to the possible application of other measures as of right provided in the GIR, namely the unilateral termination of the contract and/or the exclusion from procurement by the contracting authority for a determined duration.

4.12.1 Failure of performance (Art. 44)

§1The contractor is considered to be in failure of performance under the public contract:

- 1° when performance is not carried out in accordance with the conditions specified in the procurement documents;
- 2° at any time, when performance has not progressed in such a way that it can be fully completed on the due dates;
- 3° when he does not observe written orders, which have been given in due form by the contracting authority.
- §2. Any failure to comply with the provisions of the public contract, including the non-observance of orders of the contracting authority, is recorded in a report ('process verbal'), a copy of which will be sent immediately to the contractor by registered mail.

The contractor must repair the defects without any delay. He may assert his right of defence by registered letter addressed to the contracting authority within fifteen days from the date of dispatch of the report (process verbal). Silence on his part after this period shall be deemed acknowledgement of the reported facts.

Any defects detected that can be attributed to the contractor render him liable to one or more of the measures provided for in Articles 45 to 49, 154 and 155.

4.12.2 Fines for delay (Art. 46 and 123)

The fines for delay differ from the penalties referred to in Article 45. They are due, without the need for notice, by the mere lapse of the performance period without the issuing of a report and they are automatically applied for the total number of days of delay.

Regardless of the application of any fines for delay, the contractor indemnifies the contracting authority against damages for which it is liable towards third parties due to late performance of the contract.

4.12.3 Measures as of right (Art. 47 and 124)

§1 When, upon expiry of the term given in Article 44, §2, the contractor has not taken action or has presented means deemed unjustified by the contracting authority, the contracting authority may apply the measures as of right described in paragraph 2.

However, the contracting authority may apply measures as of right without waiting for the expiry of the term given in Article 44, §2, when the contractor has explicitly recognised the defects detected.

§2. The measures as of right are:

- 1° Unilateral termination of the contract. In this case the entire performance bond, or if no bond has been posted an equivalent amount, is acquired as of right by the contracting authority as lump sum damages. This measure excludes the application of any fine for delay in performance in respect of the terminated part;
- 2° Performance under regie of all or part of the non-performed contract;
- 3° Conclusion of one or more replacement contracts with one or more third parties for all or part of the contract remaining to be performed.

The measures referred to in 1° , 2° and 3° will be taken at the expense and risk of the defaulting contractor. However, any fines or penalties imposed during the performance of a replacement contract will be borne by the new contractor.

4.13 End of the public contract

4.13.1 Acceptance of the products delivered (Art. 64-65 and 128)

The managing official will closely follow up the delivery.

The products are stored for delivery in the supplier's warehouses. Delivery cannot occur prior to the contracting authority's accepting the goods stored for delivery. The managing official who will carry out acceptance is named in the contract award notification if his/her name has not yet been mentioned in the procurement documents.

Provisional acceptance

Provisional acceptance is carried out in full at Ministry of Health headquarters. To investigate and test the supplies as well as to notify its decision to accept or reject the delivery, the contracting authority disposes of a period of thirty days

This period will begin on the day after the date of arrival of the supplies at the place of delivery, provided that the contracting authority is in possession of the delivery note or invoice. It comprises the 30-day period stipulated in Article 120.

4.13.2 Transfer of ownership (Art. 132)

The contracting authority automatically becomes the owner of the supplies as soon as they have been accepted for payment pursuant to Article 127 of GIR.

4.13.3 Guarantee period (Art. 134)

The warranty period commences on the date on which provisional acceptance is given. It lasts one year.

4.13.4 Final acceptance (Art. 135)

Final acceptance occurs upon expiry of the warranty period. It is implicit when the delivery has not led to any claims during said period.

If delivery has led to complaints during the warranty period, a final acceptance or refusal of acceptance report will be issued within 15 days prior to the expiry of said period.

4.14 Invoicing and payment of services (Art. 66 to 72 and 127)

The contractor sends (one copy only of) the invoices and the contract acceptance report (original copy) to the following address:

Apedo Macmillan
Financial controller
Email: macmillan.apedo@enabel.be
Enabel in Uganda-Health Program
Ministry of Health
Annex Building D004, Plot 6 Lourdel Road

Only delivery that has been performed correctly may be invoiced. A payment corresponding to 100% shall be made following the satisfactory provision of the delivery of equiped and upgraded ambulances and contract acceptance report

The contracting authority disposes of a period for verification of thirty days starting on the end date of the delivery, set in conformity with the modalities in the procurement documents, to carry out the technical acceptance and provisional acceptance formalities and to notify the result to the supplier.

The amount owed to the supplier must be paid within thirty days with effect from the expiry of the verification term or with effect from the day after the last day of the verification term, if this is less than thirty days. And provided that the contracting authority possesses, at the same time, the duly established invoice and delivery note.

When the procurement documents do not provide for any separate debt claim, the invoice will constitute the debt claim.

The invoice must be in EUROS.

In order for Enabel to obtain the VAT exemption and customs clearance documents as quickly as possible, the original invoice and all ad hoc documents will be transmitted as soon as possible before provisional acceptance.

No advance may be asked by the contractor and the payment is made after

4.15 Litigation (Art. 73)

The competent courts of Brussels have exclusive jurisdiction over any dispute arising from the performance of this public contract. French or Dutch are the languages of proceedings.

The contracting authority will in no case be held liable for any damage caused to persons or property as a direct or indirect consequence of the activities required for the performance of this contract. The contractor indemnifies the contracting authority against any claims for compensation by third parties in this respect.

In case of 'litigation', i.e. court action, correspondence must (also) be sent to the following address:

Belgian development agency - Enabel

Legal unit of the Logistics and Acquisitions service (L&A)

To the attention of Ms Inge Janssens

rue Haute 147

1000 Brussels

Belgium

4.16Obligations of the contracting authority (Art. 136)

- The contracting authority shall:
- 1° use the goods delivered for the needs stipulated under the public contract and in accordance with technical user guidance provided by the supplier;
- 2° make not changes to the goods delivered without the written preliminary approval of the supplier.

4.17 Obligations of the supplier (Art. 137 and 138)

- The supplier shall:
- 1° put the supplies at the disposal of the contracting authority within the deadline set in the procurement documents;
- 2°, ensure their maintenance and make all necessary repairs within the timing imposed to keep the goods in good state during the public contract term.
- Where the supplies are completely or partially destroyed during the contact term without the contracting authority being liable, the supplier shall replace these or repair

5 Procurement Procedure

5.1 Type of procedure

This is a Negotiated Procedure without Prior Publication in application of art. 42, §1, °1, a) of the Law of 17 June 2016.

5.2 Publication

These Tender Specifications are posted on the website of Enabel https://www.enabel.be/public-procurement/. Such publication constitutes an invitation to tender.

5.3 Information

The awarding of this procurement contract is coordinated by the Contract Service Centre of Enabel in Uganda. Throughout this procedure all contacts between the contracting authority and the (prospective) tenderers about this procurement contract will exclusively pass through this service. (Prospective) tenderers are prohibited to contact the contracting authority in any other way with regards to this contract, unless otherwise stipulated in these Tender Specifications.

Until 23th June, 2023 inclusive, candidate-tenderers may ask questions about these Tender Specifications and the procurement contract. Questions will be in writing to uga_csc_contracts@enabel.be with copy to aisha.mirembe@enabel.be with a clear indication in the subject of the e-mail of the procedure reference and the contract title, as stated on the cover page of the tender specifications. They will be answered in the order received. The complete overview of questions asked will be available at the address mentioned above as soon as available.

Until the notification of the award decision no information will be given about the evolution of the procedure.

The Contracting Authority shall organize an optional information session at the time and location specified below. The potentially interested economic operators shall confirm their attendance by e-mail to the above-mentioned addresses at least two working days before the information session.

Public contract for upgrading and equipping	19th June, 2023 at Enabel Representation
of 2 ambulances to type B standards	office, Plot 1B lower Kololo terrace, Kampala
	at 11:00am, Kampala time.

The tenderer is supposed to submit his tender after reading and taking into account any corrections made to the Tender Specifications that are sent to him by e-mail.

In accordance with Article 81 of the Royal Decree of 18 April 2017, the tenderer is required to report immediately any gap, error or omission in the procurement documents that precludes him from establishing his price or compare tenders, within ten days at the latest before the deadline for receipt of tenders.

5.4 Preparation and submission of tenders

5.4.1 Preparation of tenders

The tenderer shall prepare separately, the administrative, technical and financial proposals as explained below;

5.4.1.1 Content of tenders

The tenderer must use the tender form in annexe. In case he does not use this form, he is fully responsible for the perfect concordance between the documents he has used and the form.

The tender and the annexes to the tender form are drawn up in English.

By submitting a tender, the tenderer automatically renounces to his own general or specific sales conditions, even if these are mentioned in any of the annexes to his tender.

The tenderer clearly designates in his tender which information is confidential and/or relates to technical or business secrets and may therefore not be divulged by the contracting authority.

The tender shall contain the following parts:

1. Administrative Proposal

The tenderer shall use the tender forms included in the corresponding section of the Annex.

The Administrative proposal shall respect the following structure:

- Legal identification form
- Financial Identification Form
- Subcontractor form
- Exclusion Criteria Form
- Integrity form
- Tax Clearance Certificate (e.g; URA, as applicable)
- Social Security Contribution Clearance (e.g., NSFF as applicable)
- An extract from the criminal record in the name of the tenderer (legal person) or his representative (natural person) if there is no criminal record for legal persons (ex. certificate of good conduct from Interpol); for only the successful tenderer before contract notification.

- Technical capacity form
- Financial capacity form
- Articles of Association

2. Technical Proposal

The technical proposal may be presented in the following format:

3. Financial Proposal

The tenderer shall use the tender forms included in the corresponding section of the Annex.

Determination of prices

All prices given in the tender form must obligatorily be quoted in EUROS.

This procurement contract is a price-schedule contract, i.e., a contract in which only the unit prices are lump-sum prices. The price to be paid will be obtained by applying the unit prices mentioned in the inventory to the quantities actually performed.

Elements included in the price

The tenderer is to include in his unit and global prices any charges and taxes generally inherent to the performance of the contract, with the exception of the value-added tax.

The following are in particular included in the prices:

1° packaging (except if these remain the property of the tenderer), loading, trans-shipment and intermediate unloading, transportation, insurance and customs clearance;

2° unloading, unpacking and deployment at the place of delivery, provided that the procurement documents state the exact place of delivery and the means of access;

3° documentation pertaining to the delivery of supplies and any documentation required by the contracting authority;

4° assembly and taking into operation;

5° training required for operation;

6° where applicable, the measures imposed by occupational safety and worker health legislation;

87° customs and excise duties:

All prices are DDP (INCOTERMS 2020)

5.4.1.2 Validity of tenders

Tenders shall remain valid for 90 days from the final date for receiving tenders.

5.4.2 Submission of tenders

Without prejudice to any variants, the tenderer may only submit one tender only per contract.

The tenderer submits his tender as follows:

The duly completed and signed tender shall be submitted only by e-mail and only as attachments and not via a link to a platform. The files shall be clearly named and structured and submitted in a compressed zip folder. The tenderer is solely responsible for the accessibility and legibility of files. The tenderer shall not submit at the last minute. Untimely submission, incomplete submission or indirect submission of documents that are inaccessible or illegible may lead to the rejection of the tender.

The subject of the e-mail shall clearly mention the procurement reference number and the contract title, as stated on the cover page of the tender specifications, as well as the name of tenderer.

It shall be submitted by email to: uga_csc_tenders@enabel.be

The tenderer shall submit separately, the administrative, technical and financial proposals in the email. In case they exceed 6MB, then the tenderer submits separate emails clearly indicating 'Administrative, technical or Financial proposal'

The tender shall be received by the Contracting Authority before **5**th **July, 2023, 2:00 PM**, Kampala time. Tenders that arrive late will not be accepted. (Article 83 of the Royal Decree on Awarding)

5.4.3 Change or withdrawal of a tender that has already been submitted

When a tenderer wants to change or withdraw a tender already sent or submitted this must be done in accordance with the provisions of Articles 43 and 85 of the Royal Decree of 18 April 2017.

To change or withdraw a tender already sent or submitted a written statement is required, which will be correctly signed by the tenderer or his representative. The subject-matter and the scope of the changes must be indicated in detail. Any withdrawal must be unconditional.

The withdrawal may also be communicated by fax or electronic means, provided that it is confirmed by registered letter deposited at the post office or against acknowledgement of receipt at the latest the day before the tender acceptance deadline.

The subject-matter and the scope of the changes must be indicated in detail.

The withdrawal must be pure and simple.

5.5 Opening and evaluation of Tenders

5.5.1 Opening of tenderers

The opening of tenders will take place on the day of the final date for receiving tenders. Tenders not received before this time will be rejected. The opening will take place behind closed doors.

5.5.2 Evaluation of Tenders

5.5.2.1 Selection of tenderers

Exclusion grounds

The mandatory and optional exclusion grounds are given in the Declaration on Honour enclosed to these Tender Specifications.

By submitting this tender, the tenderer certifies that he is not in any of the cases of exclusion listed in the Articles 67 to 70 of the Law of 17 June 2016 and the Articles 61 to 64 of the Royal Decree of 18 April 2017.

The contracting authority will verify the accuracy of this Declaration on honour Based on the supporting documents.

Selection criteria

Moreover, by means of the documents requested in the Annexes - Administrative Proposal, the tenderer must prove that he is sufficiently capable, from an economic and financial as well as from a technical point of view, to successfully perform this public procurement contract.

1	Sufficient Economic and Financial Capacity
1.1	Sufficient turn-over
Minimum Standard	Minimum average annual turnover of 20,000 EUR during the past three financial years
2	Sufficient Technical and Professional Capacity
2.1	Sufficient experience in upgrading and equipping ambulances
Minimum Standard	Minimum of 2 assignments each equal to 10,000 EUR within the scope of the contract, which were totally and successfully completed in the last 3

A tenderer may, where appropriate and for a particular contract, rely on the capacities of other entities, regardless of the legal nature of the links which he has with these entities. In that case, the following rules apply:

- Where an economic operator wants to rely on the capacities of other entities, it shall prove to the contracting authority that it will have at its disposal the resources necessary, for example, by producing a commitment by those entities to that effect.
- The contracting authority shall verify whether the entities on whose capacity the economic operator intends to rely fulfil the relevant selection criteria and whether there are grounds for exclusion.
- Where an economic operator relies on the capacities of other entities with regard to criteria relating to economic and financial standing, the contracting authority may require that the economic operator and those entities be jointly liable for the execution of the contract.
- The contracting authority may require certain essential tasks to be carried out directly by the tenderer himself or, if the tender is submitted by a group of economic operators, by a member of the said group.

Under the same conditions, a group of candidates or tenderers may submit the capacities of the group's participants or of other entities.

Regularity of tenders

The tenders submitted by the selected tenderers will be evaluated as to formal and material regularity. Irregular tenders will be rejected.

The contracting authority reserves the right to have the irregularities in the tenderers' tender regularised during the negotiations.

5.5.2.2 qualitative and financial evaluation of tenders

Negotiation

The formally and materially regular tenders will be evaluated as to content by an evaluation committee. The contracting authority will restrict the number of tenders to be negotiated by applying the award criteria stated in the procurement documents. This evaluation will be conducted on the basis of the award criteria given in these Tender Specifications and aims to setting a shortlist of tenderers with whom negotiations will be conducted.

Then, the negotiation phase follows. In view of improving the contents of the tenders, the contracting authority may negotiate with tenderers the initial tenders and all subsequent tenders that they have submitted, except final tenders. The minimum requirements and the award criteria are not negotiable. However, the contracting authority may also decide not to negotiate. In this case, the initial tender is the final tender.

When the contracting authority intends to conclude the negotiations, it will so advise the remaining tenderers and will set a common deadline for the submission of any best and final offers (BAFOs). Once negotiations have closed, the BAFO will be compared with the exclusion, selection and award criteria. The tenderer whose BAFO shows the best value for money (obtaining the best score based on the award criteria given below) will be designated the contractor for this procurement contract.

Award Criteria

Price: 100 %;

With regards to the 'price' criterion, the following formula will be used:

Points tender A = <u>amount of lowest tender</u> * 100 amount of tender A

Final score

The procurement contract will be awarded to the tenderer with the highest final score, after the contracting authority has verified the accuracy of the Declaration on honour of this tenderer and provided the control shows that the Declaration on honour corresponds with reality.

5.6 Award and Conclusion of Contract

5.6.1 Awarding the contract

The contract will be awarded to the tenderer who has submitted the most economically advantageous tender.

It is to be noted that in accordance with Art. 85 of the Law of 17 June 2016, there is no obligation for the contracting authority to award the procurement contract.

The contracting authority may either decide not to award the procurement contract; either redo the procedure, if necessary, through another award procedure.

5.6.2 Concluding the contract

In accordance with Art. 88 of the Royal Decree of 18 April 2017, the procurement contract occurs through the notification to the selected tenderer of the approval of his tender.

Notification is via e-mail.

So, the full contract agreement consists of a procurement contract awarded by Enabel to the chosen tenderer in accordance with:

- These Tender Specifications and its annexes;
- The approved BAFO of the contractor and all of its annexes;
- The registered letter of notification of the award decision;
- Any later documents that are accepted and signed by both parties, as appropriate.

In an objective of transparency, Enabel undertakes to publish each year a list of recipients of its contracts. By introducing his tender, the successful tenderer declares that he agrees with the publication of the title of the contract, the nature and object of the contract, its name and location, and the amount of the contract.

6 Annexes

6.1 Technical documents

- Bills of quantities for Ambulance 1 and it contains detailed specifications and quantities for all items.
- Bills of quantities for Ambulance 2 and it contains detailed specifications and quantities for all items.

6.2 Procedural Documents – Tender Forms

6.2.1 ADMINISTRATIVE PROPOSAL

Legal Identification forms

I. PERSONAL DATA			
FAMILY NAME(S) ①			
FIRST NAME(S)①			
DATE OF BIRTH			
JJ MM YYYY			
PLACE OF BIRTH (CITY, VILLAGE)	COUNTRY OF BIRTH		
TYPE OF IDENTITY DOCUMENT			
IDENTITY CARD	PASSPORT	DRIVING LICENCE 2	OTHER(3)
ISSUING COUNTRY			
IDENTITY DOCUMENT NUMBER			
PERSONAL IDENTIFICATION NUMBER (4)			
PERMANENT PRIVATE ADRESS			
POSTCODE	P.O. BOX		CITY
REGION (5)		COUNTRY	
PRIVATE PHONE			
PRIVATE E-MAIL			
II. BUSINESS DATA		If YES, please prov	vide business data and attach copies of uments

Do you run your own business without a separate legal personality (e.g. sole traders, self-employed etc.)	BUSINESS NAME (if applicable)
YES NO	VAT NUMBER
	REGISTRATION NUMBER
	PLACE OF REGISTRATION
	CITY
	COUNTRY
DATE	
	SIGNATURE

- $\begin{tabular}{ll} \hline \end{tabular} \begin{tabular}{ll} \hline \end{tabular} As indicated on the official document. \\ \hline \end{tabular}$
- 2 Accepted only for Great Britain, Ireland, Denmark, Sweden, Finland, Norway, Iceland, Canada, United States and Australia.
- $\begin{tabular}{ll} \hline \bf 3 & Failing other identity documents: residence permit or diplomatic passport. \\ \hline \end{tabular}$
- 4 See table with corresponding denominations by country. 5 To be completed with Region, State or Province by non EU countries only, excluding EFTA and candidate countries.

Legal person entity private/public legal body

OFFICIAL NAME ②						
ABREVIATION						
MAIN REGISTRATION NUMBER	3)					
SECONDARY REGISTRATION NUN	/IBER					
PLACE OF MAIN REGISTRATION			CITY			COUNTRY
DATE OF MAIN REGISTRATION						
			DD	MM	YYYY	
VAT NUMBER						
OFFICIAL ADDRESS						
POSTCODE	P.O. BOX					CITY
COUNTRY						PHONE
E-MAIL						
DATE		STAMP				
SIGNATURE OF AUTHORISED REPRESENTATIVE						

① Public law body WITH LEGAL PERSONALITY, meaning a public entity being able to represent itself and act in its own name, i.e. being capable of suing or being sued, acquiring and disposing of property, entering into contracts. This legal status is con-firmed by the official legal act establishing the entity (a law, a decree, etc.).

² National denomination and its translation in EN or FR if existing.

³ Registration number in the national register of the entity.

Public law entity

OFFICIAL NAME①						
BUSINESS NAME (if different)						
ABREVIATION						
LEGAL FORM						
ORGANISATION TYPE	FOR PRO	FIT				
	NOT FOR	R PROFIT		NGO2	YES NO	
MAIN REGISTRATION NUMBER	3)					
SECONDARY REGISTRATION NUM	/IBER					
PLACE OF MAIN REGISTRATION			CITY		COUNTRY	
DATE OF MAIN REGISTRATION			DD	ММ	YYYY	
VAT NUMBER						
ADDRESS OF						
HEAD OFFICE						
POSTCODE	P.O. BOX				CITY	
COUNTRY					PHONE	
E-MAIL						
DATE		STAMP				
SIGNATURE OF AUTHORISED						
REPRESENTATIVE						

① ② National denomination and its translation in EN or FR if existing.

NGO = Non Governmental Organisation, to be completed if NFPO is indicated.

Registration number in the national country.	tional register of companies. See table with corresponding field denomination b
Financial identification form	BANKING DETAILS
ACCOUNT NAME 9	
IBAN	
ACCOUNT NUMBER ¹⁰	
CURRENCY	
BIC/SWIFT CODE	
BANK NAME	
	ADDRESS Of BANK BRANCH
STREET & NUMBER	
TOWN/CITY	POST CODE
COUNTRY	
	ACCOUNT HOLDER'S DATA
	AS DECLARED TO THE BANK
ACCOUNT HOLDER	
STREET & NUMBER	
	_
	be of account. The account name is usually the one of the account holder may have chosen a different name to its bank account.
10 Fill in the IBAN Code (Intern	national Bank Account Number) if it exists in the country where

TOWN/CITY	POST CODE

COUNTRY

SIGNATURE OF ACCOUNT HOLDER (Obligatory)

DATE (Obligatory)

Subcontractors

Name and legal form	Address / Registered office	Object

Declaration on honour - exclusion criteria

Hereby, I / we, acting as legal representative(s) of above-mentioned tenderer, declare that the tenderer does not find himself in one of the following situations:

- 1) The tenderer or one of its 'directors [1]' was found guilty following a conviction by final judgement for one of the following offences:
- 1° involvement in a criminal organisation
- 2° corruption
- 3° fraud
- 4° terrorist offences, offences linked related to terrorist activities or incitement to commit such offence, collusion or attempt to commit such an offence
- 5° money laundering or terrorist financing
- 6° child labour and other trafficking in human beings
- 7° employment of foreign citizens under illegal status
- 8° creating a shell company.
- 2) The counterparty which fails to fulfil his obligations relating to the payment of taxes or social security contributions for an amount in excess of EUR 3 000, except if the counterparty can demonstrate that a contracting authority owes him one or more unquestionable and due debts which are free of all foreseeable liabilities. These debts are at least of an amount equal to the one for which he is late in paying outstanding tax or social charges.
- 3) The counterparty who is in a state of bankruptcy, liquidation, cessation of activities, judicial reorganisation or has admitted bankruptcy or is the subject of a liquidation procedure or judicial reorganisation, or in any similar situation resulting from a procedure of the same kind existing under other national regulations;
- 4) When Enabel can demonstrate by any appropriate means that the counterparty or any of its directors has committed serious professional misconduct which calls into question his integrity.

Are also considered such serious professional misconduct:

a. A breach of Enabel's Policy regarding sexual exploitation and abuse – June

2019

- b. A breach of Enabel's Policy regarding fraud and corruption risk management June 2019
- c. A breach of a regulatory provision in applicable local legislation regarding sexual harassment in the workplace

- d. The counterparty was seriously guilty of misrepresentation or false documents when providing the information required for verification of the absence of grounds for exclusion or the satisfaction of the selection criteria, or concealed this information
- e. Where Enabel has sufficient plausible evidence to conclude that the counterparty has committed acts, entered into agreements or entered into arrangements to distort competition

The presence of this counterparty on one of Enabel's exclusion lists as a result of such an act/agreement/arrangement is considered to be sufficiently plausible an element.

- 5) When a conflict of interest cannot be remedied by other, less intrusive measures;
- 6) When significant or persistent failures by the counterparty were detected during the execution of an essential obligation incumbent on him in the framework of a previous contract, a previous contract placed with another contracting authority, when these failures have given rise to measures as of right, damages or another comparable sanction.

Also failures to respect applicable obligations regarding environmental, social and labour rights, national law, labour agreements or international provisions on environmental, social and labour rights are considered 'significant'.

The presence of the counterparty on the exclusion list of Enabel because of such a failure serves as evidence.

7) Restrictive measures have been taken vis-à-vis the counterparty with a view of ending violations of international peace and security such as terrorism, human rights violations, the destabilisation of sovereign states and de proliferation of weapons of mass destruction.

The counterparty or one of its directors are on the lists of persons, groups or entities submitted by the United Nations, the European Union and Belgium for financial sanctions:

For the United Nations, the lists can be consulted at the following address:

https://finances.belgium.be/fr/tresorerie/sanctions-financieres/sanctionsinternationales-nations-unies

For the European Union, the lists can be consulted at the following address:

https://finances.belgium.be/fr/tresorerie/sanctions-financieres/sanctionseurop%C3%A9ennes-ue

https://eeas.europa.eu/headquarters/headquarters-homepage/8442/consolidatedlist-sanctions_en https://eeas.europa.eu/sites/eeas/files/restrictive_measures-2017-01-17-clean.pdf For Belgium:

https://finances.belgium.be/fr/sur_le_spf/structure_et_services/administrations_generales/tr%C3%A9sorerie/contr%C3%B4le-des-instruments-1-2

8) If Enabel executes a project for another funder or donor, other grounds for exclusion may be added.

Signature preceded by 'read and approved', in writing, and indication of name and function of
the person signing:
Place, date

Integrity statement for the tenderers

Hereby, I / we, acting as legal representative(s) of above-mentioned tenderer, declare the following:

- Neither members of administration or employees, or any person or legal person with whom the tenderer has concluded an agreement in view of performing the public contract, may obtain or accept from a third party, for themselves of for any other person or legal person, an advantage appreciable in cash (for instance, gifts, bonuses or any other kind of benefits), directly or indirectly related to the activities of the person concerned for the account of Enabel.
- The board members, staff members or their partners have no financial or other interests in the businesses, organisations, etc. that have a direct or indirect link with Enabel (which could, for instance, bring about a conflict of interests).
- I have / we have read and understood the articles about deontology and anticorruption included in the Tender Documents (see 1.7.), as well as *Enabel's Policy regarding sexual exploitation and abuse* of June 2019 and *Enabel's Policy regarding fraud and corruption risk management* of June 2019 and I / we declare fully endorsing and respecting these articles.

If above-mentioned public contract is awarded to the tenderer, I/we declare, moreover, agreeing with the following provisions:

- In order to avoid any impression of risk of partiality or connivance in the follow-up and control of the performance of the public contract, it is strictly forbidden to the public contractor (i.e. members of the administration and workers) to offer, directly or indirectly, gifts, meals or any other material or immaterial advantage, of whatever value, to the employees of Enabel who are concerned, directly or indirectly, by the follow-up and/or control of the performance of the public contract, regardless of their hierarchical rank.
- Any (public) contract will be terminated, once it appears that contract awarding or contract performance would have involved the obtaining or the offering of the abovementioned advantages appreciable in cash.
- Any failure to comply with one or more of the deontological clauses will be considered as a serious professional misconduct which will lead to the exclusion of the contractor from this and other public contracts for Enabel.
- The public contractor commits to supply, upon the demand of the contracting authority, any supporting documents related to the performance conditions of the contract. The contracting authority will be allowed to proceed to any control, on paperwork or on site, which it considers necessary to collect evidence to support the presumption of unusual commercial expenditure.

Finally, the tenderer takes cognisance of the fact that Enabel reserves the right to lodge a complaint with the competent legal instances for all facts going against this statement and that all administrative and other costs resulting are borne by the tenderer.

Signature preceded by 'read and approved', in writing, and indication of name and function of

the person signing:

Place, date

Economic and financial capacity Form

Financial Statement

The tenderer must complete the following table of financial data based on his/her annual accounts.

Financial data	Year- 2	Year- 1	Last year	Average
rillaliciai data	€	€	€	€

Annual turnover, excluding this public contract¹¹

The tenderer must also provide his/her approved financial statements for the last three financial years or an appropriate supporting document, such as a document listing all assets and liabilities of the enterprise. In case the enterprise has not yet published its Financial Statements, an interim balance certified true by an accountant or by a registered auditor or by the person or body with this function in the country concerned will do

¹¹ Last accounting year for which the entity's accounts have been closed.

Technical and professional capacity form

List of main similar assignments

Description of the main similar assignments totally performed @ 10,000 EURO	In Uganda (min. 1)	Amount involved	Completion date in the last 3 years (only totally performed assignments)	Name of the public or private bodies

Certificates of completion

For each of the assignments listed, the tenderer must provide in the administrative proposal as annexes to this form the certificates of completion/acceptance (statement or certificate without major reservation) and / or any supporting documents (contracts, invoices...) approved by the entity which awarded the contract.

6.2.2 TECHNICAL PROPOSAL

The technical proposal shall be presented in free format but is must include the product brochures for all the medical equipment to be installed. These brochures shall be original and must clearly mention the brand name, model and technical specifications in a way that allows comparability of the offers.

6.2.3 FINANCIAL PROPOSAL

Tender Forms – prices

By submitting this tender, the tenderer commits to performing this public contract in conformity with the provisions of the Tender Specifications/—and explicitly declares accepting all conditions listed in the Tender Specifications and renounces any derogatory provisions such as his own general sales conditions.

The unit prices and the global prices for each item in the inventory are established relative to the value of these items in relation to the total value of the tender. All general and financial costs as well as the profits are distributed between the various items in proportion to their weight.

The value added tax is dealt with on a separate line in the summary bill of quantities or the inventory, to be added to the tender's value.

The tenderer commits to performing the public contract in accordance with the provisions of the Tender Specifications for the following prices, given in euros and exclusive of VAT:

Should this tender be approved, the performance bond will be constituted under the conditions and deadlines stipulated in the Tender Specifications.

The confidential information and/or the information relating to technical or business secrets is indicated clearly in the tender.

In order to correctly compare the tenders, the duly signed information or documents mentioned under Preparation of Tenders.

Description (see also Bills of Quantities)	Total Price in Euro excl. VAT
Upgrading and equipping of ambulance 1 to type B standards.	
Equipping of ambulance 2 to type B standards (fixed tranche)	
Conditional tranche 1	
Conditional tranche 2	
Total price	
Total amount in words:	
This contract is subjected to Ugandan withholding tax. For national entities 6% is deducted at payment, for international entities 15% is deducted according to the withholding tax regulation of Uganda	

Name and first name:
Duly authorised to sign this tender on behalf of:
Place and date:
Signature:

NOTE: tenderers shall include a copy of the BoQs in excel in the submission

Do NOT change this "Financial offer & tender form" and the bills of quantities. Reservations are not permitted. Tenderers must under penalty of substantial irregularity, give prices in euros and exclusive of VAT