

PISTE 2

S = 0.00 m

DG 2.50 %

DD -2.50 %

ZTN : 776.76


ZPRO : 776.81

ECHS= 1/100

ECHZ= 1/100

PC : 774.00 m

■ B- BITUMINEUX
■ E-BICOUCHE
▤ FONDATION



DISTANCES TN	-4.42	-3.19	-2.83	-0.21	0.31	3.11	5.23
ALTITUDES TN	776.42	776.42	776.41	776.76	776.76	776.72	776.75
DISTANCES PROJET	-4.04	-3.52	-3.00	-0.00	3.00	3.52	3.73
ALTITUDES PROJET	776.42	776.69	776.74	776.81	776.74	776.69	776.73
ALTITUDES ASSISE	776.42	776.47		776.56		776.47	776.43

PISTE 2

S = 3.08 m

DG 2.50 %

DD -2.50 %

ZTN : 776.65


ZPRO : 776.94

ECHS= 1/100

ECHZ= 1/100

PC : 774.00 m

■ B- BITUMINEUX
■ E-BICOUCHE
▤ FONDATION



DISTANCES TN	-5.63	-3.28	-2.36	-0.60	0.00	0.37	2.35	3.18	4.08	4.79	5.34
ALTITUDES TN	776.47	776.47	776.44	776.65	776.65	776.65	776.70	776.81	776.73	776.81	776.82
DISTANCES PROJET		-4.13	-3.52	-3.00	0.00	3.00	3.52	3.84	4.30	4.79	5.34
ALTITUDES PROJET		776.47	776.83	776.87	776.94	776.87	776.83	776.75	776.73	776.81	776.82
ALTITUDES ASSISE		776.47	776.61		776.69		776.61	776.75			

PISTE 2

S = 10.00 m

DG 2.50 %

DD -2.50 %

ZTN : 776.79


ZPRO : 777.24

ECHS= 1/100

ECHZ= 1/100

PC : 775.00 m

■ B- BITUMINEUX
■ E-BICOUCHE
▨ FONDATION



DISTANCES TN	-5.81		-3.48	-2.51	-1.23	0.00	0.85	1.83		3.52		5.37
ALTITUDES TN	776.58		776.58	776.55	776.71	776.79	776.83	776.83		777.05		776.90
DISTANCES PROJET		-4.31	-3.52	-3.00		0.00				3.00	3.52	3.87
ALTITUDES PROJET		776.58	777.12	777.17		777.24				777.17	777.12	777.03
ALTITUDES ASSISE		776.58	776.90			776.99				776.90	777.03	

PISTE 2

S = 10.16 m

DG 2.50 %

DD -2.50 %

ZTN : 776.80


ZPRO : 777.25

ECHS= 1/100

ECHZ= 1/100

PC : 775.00 m

■ B- BITUMINEUX
■ E-BICOUCHE
▨ FONDATION



DISTANCES TN	-5.82		-3.49	-2.55	-1.20	0.00	0.86	1.88		3.52		5.37
ALTITUDES TN	776.59		776.58	776.55	776.72	776.80	776.84	776.84		777.06		776.91
DISTANCES PROJET		-4.32	-3.52	-3.00		0.00				3.00	3.52	3.87
ALTITUDES PROJET		776.58	777.13	777.17		777.25				777.17	777.13	777.03
ALTITUDES ASSISE		776.58	776.91			777.00				776.91	777.03	

PISTE 2

S = 15.81 m

DG 2.50 %

DD -2.50 %

ZTN : 777.05


ZPRO : 777.49

ECHS= 1/100

ECHZ= 1/100

PC : 775.00 m

■ B- BITUMINEUX
■ E-BICOUCHE
▤ FONDATION



DISTANCES TN	-6.00	-4.46	-3.51	-2.87	-2.57	0.00	0.50	1.70	2.32	4.68	5.14
ALTITUDES TN	776.64	776.64	776.65	776.68	776.69	777.05	777.12	777.42	777.46	777.52	777.54
DISTANCES PROJET		-4.50	-3.52	-3.00		0.00			3.00	3.64	
ALTITUDES PROJET		776.64	777.37	777.41		777.49			777.41	777.49	
ALTITUDES ASSISE		776.64	777.15			777.24			777.49		

PISTE 2

S = 20.00 m

DG 2.50 %

DD -2.50 %

ZTN : 777.42


ZPRO : 777.67

ECHS= 1/100

ECHZ= 1/100

PC : 775.00 m

■ B- BITUMINEUX
■ E-BICOUCHE
▤ FONDATION



DISTANCES TN	-6.01	-4.17	-3.16	-1.20	0.00	0.28	2.32	5.03
ALTITUDES TN	776.73	776.83	777.13	777.24	777.42	777.47	777.54	777.54
DISTANCES PROJET		-4.51	-3.52	-3.00	-0.00		3.00	3.53
ALTITUDES PROJET		776.81	777.55	777.59	777.67		777.59	777.54
ALTITUDES ASSISE		776.81	777.33		777.42		777.54	