

**KIGOMA DISTRICT
ESTIMATE OF MATERIALS FOR BMU OFFICE - KALALANGABO**

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
1,0	<u>PRELIMINARIES & GENERAL</u>				
1,1	Hut/Storage shed	ls	1		
2,0	<u>SUBSTRUCTURE (foundation strip 15 grade)</u>				
	Sand	m ³	4,5		
2.0.1	Cement-50kgs	Bags	12		
2.0.2	Aggregates (1/2")	m ³	2,25		
	Foundation walling				
2.0.3	Sand	m ³	18		
2.0.5	Cement-50kgs	Bags	73		
2.0.6	Stones (4m ³) Lorry for foundation	m ³	54		
	<u>Moram, Hardcore & Site sterilization:</u>				
2.0.7	Moram-(4.5m ³) Lorry	m ³	18		
2.0.8	Hadcore	m ³	18		
2.0.9	Sand over hardcore	m ³	9		
2.0.10	Aldrin solution or equal and approved	LTR	15		
	Oversite concrete (100mm thick - 20grade), columns & ground beam				
2.0.11	500 gauge of DPM	kg	25		
2.0.12	Sand	m ³	11,25		
2.0.13	Cement-50kgs	Bags	93		
2.0.14	Aggregates (1/2")	m ³	22,5		
2.0.15	Reinforcement - 12mm diameter high tensile	PCS	32		
2.0.16	Reinforcement - 6mm diameter	PCS	10		
2.0.17	Binding Wire - 1kg	Bundle	4		
2.0.18	Soft wood 1" X 8" to Sides (3m long)	m	127		
2.0.19	Soft wood 1" X 5" (Plates)	m	34		
2.0.20	Timber 2" X 2"	PCS	20		
2.0.21	Supporting Props	PCS	25		
	Sub total of substructure				
4,0	<u>SUPERSTRUCTURE</u>				
4.1.1	Walls & Ring beam				
4.1.2	Burnt bricks	No	4.700		
4.1.3	DPC (20m long)	Roll	2		
4.1.4	Sand	m ³	11,25		
4.1.5	Cement-50kgs	Bags	30		
4.1.6	Aggregates (1/2")	m ³	0,5		
4.1.7	Reinforcement - 12mm diameter high tensile	PCS	57		
4.1.8	Reinforcement - 6mm diameter	PCS	41		
4.1.9	Binding Wire - 1kg	Bandle	3		
4.1.10	Soft wood 1" X 8" to Sides (3m long)	m	236		
4.1.11	Soft wood 1" X 5" (Plates)	m	60		
4.1.12	Timber 2" X 2"	PCS	32		
4.1.13	Supporting Props	PCS	24		
	Sub total of superstructure				
5,0	<u>ROOF STRUCTURE & COVERING</u>				
	<u>Roof Structure - Provisional</u>				
5.1.1	Timber 2" X 3" purlins	m	84		
5.1.2	Timber 2" X 4" struss	m	122		
5.1.3	Timber 2" X 4" King Post,	m	45		

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
5.1.4	Timber 2" X 4" wall plate	m	98		
5.1.5	Timber 2" X 6" Tie beam	m	85		
5.1.6	Timber 2" X 4" Rafter	m	56		
5.1.7	Fascia board 1" X 8"	m	30		
5.1.8	Nails - 5"	Kgs	10		
5.1.9	Nails - 4"	Kgs	6		
5.1.10	Nails - 3"	Kgs	5		
	<u>Roof Covering</u>				
5.1.11	28G IT5 (1075 - Effective width 1015) resincoated sheet (RED), Roof covering sloping not exceeding 45 degrees from horizontal.	m ²	81		
5.1.12	Hips/Ridge - 28 G	Pcs	8		
5.1.13	Roofing Nails	Box	10		
	<u>Gutters</u>				
5.1.14	Upvc 150mm half round (6m long)-5'	PCS	6		
5.1.15	Upvc 63mm diametre down pipe; Class B	PCS	4		
5.1.16	PVC outlet	PCS	5		
5.1.17	PVC bend 90'	PCS	4		
5.1.18	PVC bend 45'	PCS	7		
5.1.19	Gutter support	PCS	15		
5.1.20	Gutter Clamp 3"	PCS	9		
5.1.21	Connector/reducer	PCS	5		
5.1.22	End cap 5"	PCS	6		
	<u>Ceiling Gypsum board</u>				
5.1.23	Gypsum board -12mm thick including eaves	PCS	58		
5.1.24	Plain Cornice	PCS	48		
5.1.25	Gypsum Screw 1" 800pcs/box	Box	8		
5.1.26	Screw 1.25" 800pcs/box	Box	5		
5.1.27	Gypsum powder	Bags	3		
5.1.28	Fibre tape	PCS	5		
5.1.29	Treated softwood Timber 50 X50mm	m	263		
5.1.30	Nails 3"	Kgs	11		
5.1.31	Nails 4"	Kgs	13		
	Sub total of roofing				
6,0	<u>DOOR & WINDOWS</u>				
	<u>40mm thick Pannelled door shutter</u>				
	<u>Frames (hardwood), Varnish, Glass & shutter</u>				
6.0.1	1200mm x 2400mm high	No	4		
6.0.2	Brush 3"	PCS	3		
6.0.3	Sand paper (msasa) No.80	LM	20		
6.0.4	Clear Varnish - 4Litres	TIN	3		
6.0.5	Thinner for Varnish -4Litres	LTR	2		
	<u>Iron Mongeries</u>				
6.0.8	Mortice lock Three lever - ref: union	No	4		
6.0.9	Brass hinges - 100mm	Pair	7		
	<u>WINDOWS.</u>				
	Fabricated burgular proof bars to windows comprising 3/4" x3/4 " hallow section bars				
6.0.10	1500mm x 1500mm high	No	2		
6.0.11	1300mm x 1500mm high	No	2		
6.0.12	Black gross oil	tin	2		
6.0.13	Brush 3"	PCS	2		
	Aluminium window frames comprising lazed panels complete with rubber stopper and				

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
6.0.16	1500mm x 1500mm high	No	2		
6.0.17	1300mm x 1500mm high	No	2		
	Sub total of doors & windows				
7,0	<u>FINISHING</u>				
	<u>Plastering and Rendering</u>				
7.0.1	Sand	m3	4,5		
7.0.2	Cement-50kgs	Bags	43		
	Floor finishing				
7.0.3	Sand	trip	1		
7.0.4	Cement-50kgs	Bags	27		
7.0.5	400 x 400 x 8mm Non slippery Porcelain floor tiles	Box	52		
7.0.6	Skirting (600 mm long; 25No/Box)	Box	4		
7.0.7	Grouts resemble to the tiles	Packets	10		
7.0.8	Spacer	Packets	5		
	<u>Wall & ceiling Finishing</u>				
7.0.10	White cement - 50kg	Bags	2		
7.0.11	Gypsum powder	Bags	4		
7.0.12	Sand paper (msasa) No.120	m	100		
	<u>PAINTING & DECORATION</u>				
7.0.13	Emulsion Paint - 20 LTRS	Buckets	4		
7.0.14	Wheather guard painting to external wall including columns	Buckets	3		
7.0.15	Washable paint (silk)-20 LTRS	Buckets	3		
7.0.16	Primer paint -20 LTRS	Buckets	2		
7.0.17	Solvent - 5LTRS	TIN	2		
7.0.18	Brush 3"	PCS	3		
7.0.19	Roller	PCS	3		
7.0.20	Gloss paint-4LTR ()	TIN	1		
7.0.21	Bitumen paint - 4Litres	TIN	2		
7.0.22	Spatular	No	3		
7.0.23	Scraper	No	3		
	Sub total of finishing				
7,0	<u>ELECTRICAL INSTALLATION</u>				
7.0.1	Main switch 6Ways	pc	1		
7.0.2	Circuit breaker 0.03/63A	pc	1		
7.0.3	2.5mm PVC twin cable	m	100		
7.0.4	1.5mm PVC twin cable	m	120		
7.0.5	Electrical conduits	pc	45		
7.0.6	Fluorescent fitting 4ft	pc	12		
7.0.7	One way switch 1gang	pc	6		
7.0.8	One way switch 2gang	pc	3		
7.0.9	Double Switch socket out let	pc	8		
7.0.10	Double switch box	pc	10		
7.0.11	Single switch box	pc	12		
7.0.12	10mm Earth wire	m	10		
7.0.13	10mm PVC twin cable	m	12		
7.0.14	Earth electrode pure CU	pc	1		
7.0.15	Energy saver	pc	6		
7.0.16	Round lamp holder	pc	6		
7.0.17	Ceiling lose	pc	6		

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
7.0.18	Electrical fans	pc	5		
7.0.19	Crystal salt	kg	20		
7.0.20	Soft charcoal	sack	1		
7.0.21	Photo cell switch 30-45A	pc	1		
7.0.22	Round box	pc	20		
7.0.23	Tee and elbow accessories	pc	6		
7.0.24	Straight holder	pc	6		
7.0.25	Joint box	pc	2		
7.0.26	Insulation tape	pc	3		
	Sub total Electrical installation				
	<u>GENERAL SUMMARY</u>				
1,0	<u>PRELIMINARIES</u>				
2,0	<u>SUBSTRUCTURE</u>				
3,0	<u>SUPERSTRUCTURE</u>				
4,0	<u>ROOFING STRUCTURE</u>				
5,0	<u>DOORS & WINDOWS</u>				
6,0	<u>FINISHING</u>				
7,0	<u>ELECTRICAL INSTALLATION</u>				
	TOTAL MATERIAL COST				
	ADD 18% VAT				
	ADD 20% LABOUR CHARGE				
	GRAND TOTAL				

NB: VAT can be exempted upon Kigoma District request to TRA

KIGOMA DISTRICT

ESTIMATE OF MATERIALS FOR MARKET FISH SHED - KALALANGABO

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
1,0	SUB STRUCTURE				
1,1	Site clearing to remove all bushes and grass	m ²	300		
1,2	Setting out	Ls	1		
	<u>Foundation</u>				
	<u>Foundation Excavation</u>				
1,3	Excavate foundation trench not less than 600mm wide and 900mm deep	m ³	27		
1,4	Ram level and compact bottom in the trench	m ²	30		
	<u>Foundation works</u>				
1,5	Mass concrete 1:3:6 of 150mm thick to be applied	m ³	4,6		
1,6	Supply material and construct 230mm thick using stones/cobbles with cement and sand mortar 1:6	m ³	30		
1,7	Supply selected material/gravels and backfill in and around	m ²	24		
1,8	Supply and lay hardcore 150mm thick	m ²	157		
1,9	Provide and lay dump proof membrane (DPM)	Roll	2		
1,10	Provide and lay 1:3:6 concrete mixing 150mm thick	m ³	24		
	Sub total				-
2,0	SUPER STRUCTURE				
	<u>Brick works</u>				
2,1	Supply for walls and partition walls, good quality burnt bricks and construct 200mm brick solid wall bedded in 1:6 cement mortar	m ²	192	15.000	2.880.000
2,2	Damp Proof Course	Lm	51	3.000	153.000
	<u>Steel Pipe Columns</u>				
2,3	Provide galvanised Steel pipes for columns, 100mm, 4.5m high	Nr	17	80.000	1.360.000
	<u>Tables</u>				
2,4	Provide approved formwork to receive cast insitu concrete slab for table 75mm thick	m ²	120		
2,5	Casting concrete slab for table 75mm thick	m ³	49		
	Sub total				
3,0	<u>ROOF STRUCTURE & COVERING</u>				
3,1	<u>Roof Covering</u>				
3.1.1	28G IT5 resincoated sheet (RED), Roof covering sloping not exceeding 45 degrees from horizontal.	m ²	182		
3.1.2	Hips/Ridge - 28 G	PCS	4		
3.1.3	Roofing Nails	Kg	12		
3,2	<u>Timber for Truss</u>				
3.2.1	King post 2" x 6" (50mm x 150mm) (3.6m long)	Pcs	6		
3.2.2	Rafter 3" x 4" (75mm x 200mm) (3.6m long)	Pcs	30		
3.2.3	Strut 3" x 4" (75mm x 200mm) (3.6m long)	Pcs	14		
3.2.4	Tie beam 2" x 6" (50mm x 150mm) (3.6m long)	Pcs	59		
3.2.5	Purlings 2" x 2" (50mm x 50mm) (3.6m long)	Pcs	28		

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
3.2.6	Wall plate 3" x 4" (75mm x 200mm) (3.6m long)	Pcs	8		
3.2.7	Facial board 1" x 8" (25mm x 400mm) (3.6m long)	Pcs	8		
3,3	<u>Gutter's-Provisional</u>				
3.3.1	Upvc 125mm half round (6m long)-5"	Pcs	9		
3.3.2	Upvc 100mm diametre down pipe; Class C	Pcs	5		
3.3.3	PVC outlet	Pcs	4		
3.3.4	PVC bend 90'	Pcs	10		
3.3.5	PVC bend 45'	Pcs	20		
3.3.6	Gutter support	Pcs	44		
3.3.7	Gutter Clamp 3"	Pcs	44		
3.3.8	End cap 5"	Pcs	4		
	Sub total				
6,0	<u>FINISHING</u>				
6,1	Floor finishing				
6.1.1	Sand	m ³	13		
6.1.2	Cement (OPC 42.5) - 50kgs	Bags	21		
6.1.3	Apply screed 1:3	m ²	297		
6.1.4	Skirting (600 mm long; 25No/Box)	Box	6		
6.1.5	Grout	Packets	4		
6,2	<u>Wall Finishing</u>				
6.2.1	White cement - 50kg	Bags	1		
6.2.2	Gypsum powder	Bags	5		
6,3	<u>PAINTING & DECORATION</u>				
6.3.1	Emulsion Paint - 20 LTRS	Buckets	4		
6.3.2	Chopping (off white colour) for external wall	m ²	64		
6.3.3	Washable paint (silk)-20 LTRS	Bucket	4		
6.3.4	Primer paint -20 LTRS	Buckets	2		
6.3.5	Solvent -5LTRS	TIN	2		
6.3.6	Brush 3"	PCS	3		
6.3.7	Roller	PCS	4		
6.3.8	Gloss paint-4LTR ()	TIN	1		
6.3.9	Bitumen paint - 4Litres	TIN	2		
	Sub total				
7,0	<u>ELECTRICAL INSTALLATION</u>				
7,1	Main switch 6Ways	pc	1		
7,2	Circuit breaker 0.03/63A	pc	1		
7,3	2.5mm PVC twin cable	m	100		
7,4	1.5mm PVC twin cable	m	200		
7,5	Electrical conduits	pc	46		
7,6	Fluorescent fitting 4ft	pc	15		
7,7	One way switch 1gang	pc	7		
7,8	One way switch 2gang	pc	4		
7,9	Double Switch socket out let	pc	8		
7,10	Double switch box	pc	8		
7,11	Single switch box	pc	11		
7,12	10mm Earth wire	m	10		
7,13	10mm PVC twin cable	m	10		
7,14	Earth electrode pure CU	pc	1		
7,15	Energy saver	pc	12		
7,16	Electrical fans	pc	6		
7,17	Salid salt	kg	20		

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
7,18	Soft charcoal	sack	1		
7,19	Photo cell switch 30-45A	pc	1		
7,20	Round box	pc	20		
7,21	Tee and elbow accessories	pc	6		
7,22	Straight holder	pc	6		
7,23	joint box	pc	2		
7,24	Insulation tape	pc	3		
	Sub total Electrical installation				
	<u>GENERAL SUMMARY</u>				
1,0	<u>SUB STRUCTURE</u>				
2,0	<u>SUPER STRUCTURE</u>				
3,0	<u>ROOF STRUCTURE & COVERING</u>				
4,0	<u>FINISHING</u>				
5,0	<u>ELECTRICAL INSTALLATION</u>				
	TOTAL MATERIAL COST				
	ADD 18% VAT				
	ADD 20% LABOUR CHARGE				
	ADD 5% CONTINGENCY				
	GRAND TOTAL				

NB: **VAT can be exempted upon Kiqoma District request to TRA**

KIGOMA DISTRICT

ESTIMATE OF MATERIALS FOR LATRINE - KALALANGABO

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
1,0	EXTERNAL TOILET				
1,1	SUBSTRUCTURE				
	Strip Foundation - Grade 15 Plain (1:3:6)				
1.1.1	Aggregate (3/4")	m ³	4,5		
1.1.2	Sand (4.5m ³) Lorry	m ³	4,5		
1.1.3	Cement-50kgs	Bags	18		
1.1.4	Stones (4.5m ³) Lorry for foundation	m ³	9		
	<u>Moram, Hardcore & Site sterilization:</u>				
1.1.5	Hadcore-	m ³	2,25		
1.1.6	1x8" soft wood for formwork including supports	m	14		
1.1.7	Aldrin solution or equal and approved	LTR	3		
1.1.8	Nails-4"	Kgs	2		
1.1.9	Nails-3"	Kgs	2		
1.1.10	Supporting props	PCS	8		
	Sub total				
1,2	SUPERSTRUCTURE				
	<u>Walls & Ring beam:</u>				
1.2.1	Burnt bricks	No	1.200		
1.2.2	DPC (20m long)	LM	13		
1.2.3	Sand	m ³	2,25		
1.2.4	Cement-50kgs	Bags	8		
1.2.5	Aggregates (1/2")	m ³	0,5		
1.2.6	Reinforcement - 12mm diameter high tensile	PCS	12		
1.2.7	Reinforcement - 6mm diameter	PCS	10		
1.2.8	Binding Wire - 1kg	Bundle	0,5		
1.2.9	Soft wood 1" X 8" to Sides (3m long)	PCS	24		
1.2.10	Soft wood 1" X 5" (Plates)	PCS	3		
1.2.11	Timber 2" X 2"	PCS	12		
1.2.12	Supporting Props	PCS	8		
	Sub total				
1,3	<u>ROOF STRUCTURE & COVERING</u>				
	<u>Roof Structure</u>				
1.3.1	Timber 2 " X 3" purlins	m	15		
1.3.2	Timber 2" X 4" King Post, wall plate and struss	m	36		
1.3.3	Timber 2" X 4" Rafter	m	26		
1.3.4	Timber 2" X 6" Tie beam	m	26		
1.3.5	Fascia board 1" X 8" (3m long)	m	14		
1.3.6	Nails - 5"	Kgs	2		
1.3.7	Nails - 4"	Kgs	4		
1.3.8	Nails - 3"	Kgs	3		
	COVERING				
9.3.9	28G IT5 (1075 - Effective width 1015) resincoated sheet (RED), Roof covering sloping not exceeding 45 degrees from horizontal.	m ²	14		
9.3.10	Roofing Nails	Box	2		

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
	Sub total				
9,4	<u>DOORS</u>				
	<u>45mm thick Pannelled door shutter</u>				
9.4.1	800 x 2100mm high	No	4		
	<u>Frames (hardwood), Varnish, Glass & Burglar bar</u>				
9.4.2	800 x 2100mm high	PC	4		
	<u>Iron Mongeries</u>				
9.4.3	Mortice lock Three lever - ref: union	No	4		
9.4.4	Brass hinges - 100mm	Pair	3		
	Sub total				
9,5	<u>FINISHING</u>				
9.5.1	400 x 400mm Non slippery Porcelain floor tiles	m ²	12,8		
9.5.2	Sand	m ³	4,5		
9.5.3	Cement-50kgs	Bags	12		
9.5.4	400 x 400mm x 8mm thick wall tiles	m ²	30		
9.5.5	Skirting (600 mm long; 25No/Box)	Box	1		
9.5.6	Grout	Packets	2		
9.5.7	Spacer	Packets	2		
	<u>Wall Finishing</u>				
	<u>Plaster and Decoration</u>				
9.5.8	Cement-50kgs	Bags	5		
9.5.9	White cement - 50kg	Bags	1		
9.5.10	Gypsum powder	Bags	1		
	<u>PAINTING & DECORATION</u>				
9.5.12	Emulsion Paint - 20 LTRS	Buckets	1		
9.5.13	Weather guard Paint - 20 LTRS	Buckets	1		
9.5.14	Washable paint -20 LTRS	ltrs	2		
9.5.15	Solvent - 5LTRS	TIN	0,5		
9.5.16	Brush 3"	PCS	1		
9.5.17	Roller	PCS	1,5		
9.5.18	Gloss paint-4LTR	TIN	0,5		
9.5.19	Bitumen paint - 4Litres	TIN	0,5		
	Sub total				
9,6	<u>Soakage Pit</u>				
9.6.1	Aggregate (3/4")	m ³	2,25		
9.6.2	Sand (4.5m ³) Lorry	m ³	5		
9.6.3	Cement-50kgs	Bags	10		
9.6.4	Burnt bricks	No	800		
9.6.5	Reinforcement - 12mm diameter high tensile	PCS	10		
9.6.6	Binding Wire - 1kg	Bundle	2		
9.6.7	Timber 1" X 8" to Sides (3m long)	PCS	12		
9.6.8	Timber 2" X 3"	PCS	10		
9.6.9	Supporting Props	PCS	8		
9.6.10	BRC Square Mesh	PCS	2		
	Sub total				
9,7	<u>Install Vent Pipe & PVC Tank</u>				
9.7.1	500 ltrs PVC Tank	No	1		
9.7.2	Vent pipe 4" with insect mesh	No	1		
	Sub total				

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
	<u>GENERAL SUMMARY</u>				
9,1	<u>SUBSTRUCTURE</u>				
9,2	<u>SUPERSTRUCTURE</u>				
9,3	<u>ROOFING STRUCTURE</u>				
9,4	<u>DOORS</u>				
9,5	<u>FINISHING</u>				
9,6	<u>SOAKAGE PIT</u>				
9,7	<u>PVC WATER TANK & VENT PIPE</u>				
	TOTAL MATERIAL COST				
	ADD 18% VAT				
	ADD 15% LABOUR CHARGE				
	ADD PROVISIONAL SUM FOR ELECTRICAL AND PLUMBING				
	GRAND TOTAL				

NB: **VAT can be exempted upon Kigoma District request to TRA**

**KIGOMA DISTRICT
ESTIMATE OF MATERIALS FOR FENCING - KALALANGABO**

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
1,0	FENCING				
1,1	Provide and fix mbanga logs (2.5m spacing)	No	80		
1,2	Supply and fix Chain Link 2.5mm x 15m	Roll	26		
1,3	Barbed wire 2.5mm x 110m (Fabric: 3.76/4.88 mm, 3 m high, mesh 50 mm x 50 mm coated,	Roll	6		
1,4	Concreting chain link and mbanga logs (1:2:4)	Sum	23		
1,5	Fix gate from wire mesh, steel pipes (5mm dia) with all accessories	Ls	1		
	TOTAL MATERIAL COST				
	ADD 18% VAT		18%		
	ADD 20% LABOUR CHARGE		20%		
	GRAND TOTAL				

NB: **VAT can be exempted upon Kigoma District request to TRA**

**KIGOMA DISTRICT
ESTIMATE OF MATERIALS FOR RAMP - KALALANGABO**

S/N	MATERIALS	UNT	QTY	RATE	AMOUNT
1,0	LANDING SITE				
1,1	Provide and lay gabions	m ³	50		
1,2	Provide and install guide rails (Galvanised GS pipes 1 ¹ / ₂ "), 1.2m rise spacing at 01m - 1.2m rest on inverted T - shape fixed on concrete bed	Ls	1		
1,3	Concreting C25 (1:1.5:3), 300mm thickness and blinding after arranging gabions (1:2:4) on top	m ³	10,8		
1,4	Reinforcement - 12mm diameter high tensile spacing 200x150	PCS	92		
1,5	Binding wire -1Kg and specer blocks	Item	1		
	TOTAL MATERIAL COST				
	ADD18% VAT		18%		
	ADD 20% LABOUR CHARGE		20%		
	GRAND TOTAL				

NB: VAT can be exempeted upon Kiqoma District request to TRA

KIGOMA DISTRICT

**ESTIMATE COST FOR BMU OFFICE, MARKET SHED, LATRINE,
FENCING AND LANDING SITE RAMP - KALALANGABO**

	<u>GENERAL SUMMARY</u>	<u>TOTAL AMOUNT WITH VAT [TZS]</u>	<u>TOTAL AMOUNT WITHOUT VAT [TZS]</u>	<u>TOTAL AMOUNT FOR MATERIAL [TZS]</u>
1,0	<u>BMU OFFICE</u>			
2,0	<u>MARKET SHED</u>			
3,0	<u>LATRINE</u>			
4,0	<u>FENCING</u>			
5,0	<u>LANDING SITE RAMP</u>			
	GRAND TOTAL			